AD-A214 141

DTIC
S ELECTE
NOV 0 6 1989
D
D

Design Temperatures for Flexible
Airfield Pavement Design

by

Dr A F Stock

FINAL REPORT

July 1989

89 11 06 075

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER Final Report (3)	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Design Tempreatures for Flexible Airfield Pavement Design		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Dr A F Stock		8. CONTRACT OR GRANT NUMBER(s) DAJA 45-87-M-0484
9. PERFORMING ORGANIZATION NAME AND ADDRESS Dept of Civil Engineering The University, Dundee DD1 4HN		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS R & D 5852 EN 01
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Research Development and Dtandardisation Group - UK		12. REPORT DATE
		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)		15. SECURITY CLASS. (of this report)
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)		

DD ₁ FORM ₇₃ 1473   EDITION OF 1 NOV 65 IS OBSOLETE

CONTENTS

Introduction

The mechanistic approach to flexible pavement design [1,2,3,4] recognises 2
forms of traffic induced structural damage, one being fatigue failure by
cracking in the asphalt layer, the other being permanent deformation.

The criterion used for ensuring that the pavement does not fail prematurely
due to fatigue in the asphalt is based upon tensile strain. It has been
shown [4] that the tensile strain due to aircraft loading has a maximum
value at the bottom of the asphalt layer, and it is at this depth that the
strain is calculated. The position of the maximum strain relative to the
aircraft wheels is dependent upon the aircraft gear configuration, the
pavement thickness and stiffness, but is readily determined. Extensive
laboratory fatigue tests, combined with full scale trials [5,6,7,8,9,10]
have permitted the development of a fatigue criterion based on a limiting
strain value, so that pavements can be designed to give satisfactory
performance.

The parameter used as a criterion to limit permanent deformation is the
vertical strain on the subgrade. The derivation of this parameter can be
traced to the AASHO road test [11] when stress, strain and deformation were
calculated at several locations in the pavement and correlated with the
terminal rut depth. As a result of this, and other complimentary research,
the vertical strain on the subgrade was identified as the parameter which
correlated, most reliably, with the development of wheel track deformation.
Most mechanistic design systems, including the one developed by the Corps of
Engineers for Airfield pavements [4] use this parameter, derived from an
analysis of existing pavement structures of known performance. The
derivation usually involved a single analysis of each pavement using a

single temperature and a typical load. Because of these simplifying

assumptions the criterion is not suitable for a cumulative damage analysis.

Procedure for Computation of Fatigue Damage

The computation of damage due to repeated loading is based upon the linear summation of cycle ratios as defined by Miner's rule[12]. For failure, the summation of the ratio of the number of cycles of load actually applied (n) to the number of cycles of that same load to cause failure (N) must equal or exceed 1, as shown below.

$$\frac{N_1}{N_1} + \frac{N_2}{N_2} + \frac{N_3}{N_3} \cdots\cdots \frac{N_i}{N_i} \geq 1$$

or

$$\sum_{i\,=\,1}^{i} \frac{N_i}{N_i} \geq 1$$

The number of cycles applied to a given pavement structure can be determined from data on aircraft movements. The number of cycles of that load to cause failure must be determined from the fatigue design criteria. This in turn involves calculating the strain in the pavement from details of the layer thickness and the temperature profile within the asphalt layer. It is also important to have detailed information on aircraft movements so that the correct combination of temperature gradient and traffic can be used to determine the number of cycles to failure.

The calculation procedure requires the following specific steps.

1. Division of the asphalt layer, in the pavement under analysis, into sublayers suitable for the computation of temperature gradients and the subsequent computation of strain.

2) Computation of the temperature gradient in the pavement under analysis

for the conditions relating to the time of year to be represented by the damage computation.

3)   Transformation of the temperature data into stiffness values for use in the analysis.

4)   Analysis of pavements for the critical asphalt strain.

5)   Determination of the number of cycles which would cause failure at the strain level calculated in step 4 above.

6)   Computation of damage in the pavement for each representative time period.

7)   Development of a Damage - Temperature relationship for each pavement structure considered, assuming the asphalt layer to have a constant temperature.

8)   Determine the "equivalent temperature" by comparing the results of step 6 with the relationship obtained in step 7.

In order to undertake the analysis outlined above, it is necessary to select appropriate layer thicknesses and properties for the pavement structure. It is also necessary to select damage models and determine traffic movement and loading data. This section will provide this background information.

Pavement Structure for Analysis

It was decided to analyse pavements with asphalt layer thicknesses of 3 inches, 5 inches and 10 inches, selected as being typical of the classes of airfield pavement.

Each pavement has been treated as a three layer structure, and in order to eliminate effects other than temperature changes, the characteristics of the base and subgrade were held constant. The base was modelled as an unbound layer 12 inches thick with a modulus of $50,000$ lbs/in^2. The subgrade was assigned a modulus of $15,000$ lbs/in^2.

The loading used for the computation was selected on the basis of the type of aircraft, appropriate to the class of airfield pavement, relevant to the thickness of the asphalt layer, as defined in the Corps of Engineers Airfield Pavement design procedure. For a 3 inch pavement the critical aircraft for design is the F15, for the 5 inch pavement it is the C141 and a B52 is the aircraft appropriate for the 10 inch pavement.

Traffic movement data for the five busiest TAC bases, Luke, Nellis, George, Holman and Tyndall was supplied, broken down into movements for the periods 0000 - 0600 hrs, 0600 - 1200 hrs, 1200 - 1800 hrs and 1800 - 0000 hrs as shown in Table 1.

Traffic movements on an hourly basis would have been preferred, and would have given greater precision in these computations, but the data was not available in this form.

The data in Table 1 shows that the pattern of movements within each six hour time period is similar for the five bases. Data to confirm this is shown in Table 2 which summarises the percentage of movements which can be assigned to each 6 hour period and also gives the standard deviation of that percentage for each time period. It was therefore assumed that the movements for a typical Air Force Base can be described by one pattern.

Table 3 shows the total number of movements for a year computed from the mean values and the pattern established in Tables 1 and 2. Also shown are the daily and hourly movements derived from the total assuming that movements are distributed evenly through each time period.

Two relationships are required to describe the asphaltic material for this study. The first requirement is to assign a stiffness value appropriate to the temperatures calculated in each sub-layer. The relationship used is as follows [5]

$$Log \; E \; = \; 6.16 - 0.00003 \; T^{2.32}$$
$$+ \; 0.074 \; log \; f$$
$$+ \; 0.000009 \; T^{2.32} \; log \; f$$

where

T = temperature (^{o}F)

f = frequency of loading (cps)

The second relationship is necessary in order to relate the maximum strain in the plane of the bottom of the asphalt layer to a number of cycles of

load which would cause failure at that strain. This relationship is usually presented in the following form [4]

Allowable strain $= 10^{-A}$

$$A = \frac{N + 2.665 \log_{10} (E_{AC}) + 0.392}{5} \quad (14.22)$$

where N = Log_{10} (aircraft coverages)

E_{AC} =   Modulus of the asphalt concrete.

To compute the no of coverages for a given strain this equation can be rewritten in the form

N = 10

The Computation of Temperature Gradients within the Pavement

The most effective data for a study such as is described herein is actual temperature measurement at various depths within representative pavements. Unfortunately, this data is not available for the pavements analysed for this study, in appropriate climates. It was therefore necessary to find a means of computing the temperature gradient.

After a study of two systems for calculating the variation of temperature with depth, [13,14] the method reported by Robinson [14] was selected because of the strength of the validating data.

Robinson's calculation procedure assumes a one-dimensional model of heat transfer which is solved by a finite difference method. The solution requires an initial temperature distribution within the pavement and a knowledge of the thermal properties of the materials in the pavement structure. Heat input was estimated from the data on hourly air temperatures, wind speed and cloud cover, and on a computed solar radiation intensity. This latter parameter was calculated from equations published by Iqbal [15].

Data on four locations was provided as being typical of the range in continental USA. These were Minot, Homestead, Wright-Patterson and Williams. Hourly temperature data was supplied for a "typical" 24 hour period in each month of the year. Temperature profiles were calculated for each hour for pavements with 3,5 and 10 inch thick asphalt surfaces at all locations. Thus a total of 3,456 profiles were calculated.

For convenience, the 3 inch asphalt layer was subdivided into 8 layers of equal thickness, the 5 inch into 7 layer, 6 of which were 0.75" thick and the lowest layer being 0.5" thick, and the 10 inch pavement into 6 layer of 1.5" thickness and one layer of 1" thickness.

Calculation of Damage

Tables 4 - 15 show the computation of damage for the structures at each base. It will be noted that some time periods have been omitted, this is because of computational errors. In view of the very large number of analysis necessary for this study an automated system was developed. On completion of the computation it was discovered that some of the files had been corrupted. Checks were performed to ensure that the remaining files were in fact correct. It was not possible to correct those found to be in error.

Tables 16, 17 and 18 show the computation of damage for the 3, 5 and 10 inch pavements at each base, assuming constant temperature throughout the asphalt layer.

Finally, Tables 19, 20 and 21 show the computation of the conversion factor for the 3,5 and 10 inch pavements respectively at each location.

Figures 1-9 plot the conversion factor as a function of air temperature at each base, and Table 22 slows the coefficients obtained from a linear regression of conversion factor as a function of air temperature for each base individually. The equivalent single temperature is computed from the mean air temperature multiplied by the conversion factor.

Regression analysis of the data relating conversion factor to temperature grouped by asphalt thickness gave very poor correlation coefficients, as did an analysis of the data grouped by base. It is therefore concluded that the effects of both climate and layer thickness combine to provide a unique solution to the relation between conversion factor and mean air temperature.

Recommended procedure for the determination of Equivalent Pavement Temperature

The bases used in this study were chosen to represent major climatic regions within continental USA. Thus it is probable that sufficient precision can be obtained by selecting the appropriate conversion factor - air temperature relationship from Table 22.

If this is deemed to be insufficiently reliable, then the procedure described in section 2 can be applied provided the necessary data can be made available.

Further Work

It is possible that further study could lead to the definition of a relationship which has wider application, the incorporation of terms to account for layer thickness in the conversion factor - air temperature relation could assist with this.

References

1. The Asphalt Institute, "Thickness design manual - Asphalt pavements for Highways and Streets (MS - 1) 9th Edition 1981.

2. Brown, S.F., Stock, A.F., Pell, P.S. "The structural design of asphalt pavements by computer", The Highway Engineer, Vol 27, No.3, 1980, pp 2-10.

3. Shell International Petroleum Co Ltd, "Shell pavement design manual - asphalt pavements and overlays for road traffic" London, 1978.

4. Barker, W.R., Brabston, W.N., Chou, Y.T., "A general system for the structural design of flexible pavements". Proceedings of the 4th International Conference on the Structural Design of Asphalt Pavements, Vol. 1, University of Michigan, Ann Arbor, Michigan, 1977.

5. Kingham, R.I. and Kallas, B.F. "Laboratory fatigue and its relationship to pavement performance". Proceedings of the 3rd International Conference on the Structural Design of Asphalt Pavements, Vol. 1, University of Michigan, Ann Arbor, Michigan, 1972.

6. Manismith, C.L.,, Secor, K.E. and Blackmer, E.W., "Asphalt mixture behaviour in repeated flexure", Proceedings of the Association of Asphalt Paving Technologists, Vol 39, 1970, pp 207 - 236.

7. Brown, S.F. "Stiffness and fatigue requirements for structural performance of asphalt mixes" Eurobitumen seminar, London 1978, pp 141-145.

8. McElvaney, J. and Pell, P.S. *"Fatigue damage of asphalt: effect of rest periods" Highways and Road Construction, Vol. 41, No. 1766, Oct. 1973, pp 16-20.*

9. Van Dijk, W. *"Practical fatigue characteristics of bituminous mixes", Proceedings of the Association of Asphalt Paving Technologists, Vol 44, 1975, pp 38-72.*

10. *The Asphalt Institute, Research and Development of the Asphalt Institute's thickness design manual (MS-1) 9th Edition.*

11. Kingham, R.I. *"Failure criteria developed from AASHO road test data", Proceedings of the 3rd International Conference on the Structural Design of Asphalt Pavements, Vol I, London 1972, pp 656-669.*

12. O'Neil, M.J. *"A review of some cumulative damage theories". Australian Defence Scientific Services Aeronautical Research Laboratory Structure and Materials Report No. 326, June 1970.*

13. Carmichael, T., Boyer, R.E. and Hokanson, L.D., *"Modelling heater techniques for in-place recycling of asphalt pavements". Proceedings of the Association of Asphalt Paving Technologists, Vol. 46, Feb. 1977, pp. 526-537.*

14. Robinson, R.G. *"A model for calculating pavement temperatures from meteorological data". Transport and Road Research Laboratory Research Report No.44, 1985.*

15. Iqbal, M. "An introduction to solar radiation" Academic Press, 1983.

TABLE 1. TRAFFIC DATA FOR THE FIVE BUSIEST TAC BASES
(AS SUPPLIED BY VICKSBURG)

TIME INTERVAL	FY8701	PROPORTION OF TOTAL	FY8702	PROPORTION OF TOTAL	FY8703	PROPORTION OF TOTAL	FY8704	PROPORTION OF TOTAL
LUKE AFB								
0000-0600	0	0.00	0	0.00	0	0.00	0	0.00
0600-1200	10998	0.44	10384	0.42	11108	0.43	11411	0.43
1200-1800	12172	0.48	12562	0.51	12846	0.49	13892	0.52
1800-0000	1996	0.08	1774	0.07	2031	0.08	1463	0.05
TOTAL MOVEMENTS	25166		24720		25985		26766	
NELLIS AFB								
0000-0600	62	0.00	75	0.00	204	0.02	88	0.01
0600-1200	6651	0.42	5965	0.39	4183	0.37	6581	0.41
1200-1800	7449	0.47	7601	0.49	6019	0.53	7469	0.47
1800-0000	1758	0.11	1847	0.12	954	0.08	1754	0.11
TOTAL MOVEMENTS	15920		15488		11360		15892	
GEORGE AFB								
0000-0600	26	0.00	5	0.00	23	0.00	86	0.00
0600-1200	7241	0.31	6298	0.45	6432	0.47	6426	0.47
1200-1800	7957	0.34	6513	0.47	6154	0.45	6130	0.45
1800-0000	8132	0.35	1140	0.08	1045	0.08	854	0.06
TOTAL MOVEMENTS	23356		13956		13654		13496	
HOLLOMAN AFB								
0000-0600	6	0.00	3	0.00	10	0.00	4	0.00
0600-1200	10584	0.49	11185	0.48	12432	0.49	12416	0.47
1200-1800	10494	0.49	11275	0.48	12292	0.48	13069	0.50
1800-0000	483	0.02	806	0.03	733	0.03	829	0.03
TOTAL MOVEMENTS	21567		23269		25467		26318	
TYNDALL AFB								
0000-0600	5	0.00	4	0.00	10	0.00	10	0.00
0600-1200	5307	0.43	6455	0.42	6189	0.41	5760	0.40
1200-1800	6361	0.51	7595	0.50	7480	0.49	6895	0.47
1800-0000	705	0.06	1225	0.08	1513	0.10	1861	0.13
TOTAL MOVEMENTS	12378		15279		15192		14526	
MEAN OF ALL BASES	19677.4		18542.4		18331.6		19399.6	

TABLE 2. SUMMARY OF AIRCRAFT MOVEMENTS

TIME INTERVAL	PERCENTAGE OF TOTAL	STANDARD DEVIATION
0000-0600	0	0.00
0600-1200	43	0.04
1200-1800	48	0.04
1800-0000	9	0.07

TABLE 3. REPRESENTATIVE NUMBER OF MOVEMENTS

TOTAL	PER. DAY	PER. HOUR
0	0	0
8156	22	4
9118	25	4
1670	5	1

TABLE 4. HOMESTEAD 3 INCH THICK ASPHALT.

JANUARY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	716940	0.00194	0	26.49	0
0100-0200	717768	0.00194	0	26.41	0
0200-0300	719010	0.00193	0	26.97	0
0300-0400	719839	0.00193	0	26.89	0
0400-0500	721082	0.00193	0	26.77	0
0500-0600	721910	0.00193	0	26.69	0
0600-0700	722739	0.00193	4	26.60	0.1504
0700-0800	723568	0.00192	4	27.22	0.1469
0800-0900	723154	0.00193	4	26.56	0.1506
0900-1000	715699	0.00193	4	26.61	0.1503
1000-1100	704956	0.00195	4	27.00	0.1481
1100-1200	693836	0.00195	4	29.17	0.1371
1200-1300	684803	0.00195	4	30.56	0.1309
1300-1400	677479	0.00194	4	30.81	0.1298
1400-1500	677433	0.00194	4	30.56	0.1309
1500-1600	679479	0.00194	4	29.13	0.1373
1600-1700	685213	0.00196	4	27.42	0.1459
1700-1800	694247	0.00196	4	27.00	0.1370
1800-1900	704956	0.00195	1	26.86	0.0370
1900-2000	710737	0.00194	1	26.92	0.0372
2000-2100	713217	0.00194	1	26.86	0.0372
2100-2200	714871	0.00194	1	26.69	0.0375
2200-2300	715699	0.00194	1	26.61	0.0376
2300-0000	716527	0.00194	1	26.53	0.0377

FEBRUARY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	716527	0.00194	0	26.53	0
0100-0200	716940	0.00194	0	26.49	0
0200-0300	718596	0.00193	0	27.01	0
0300-0400	719425	0.00193	0	26.93	0
0400-0500	721082	0.00193	0	26.85	0
0500-0600	720253	0.00193	0	26.77	0
0600-0700	722325	0.00193	4	26.64	0.1501
0700-0800	723154	0.00194	4	26.56	0.1506
0800-0900	717354	0.00193	4	26.45	0.1512
0900-1000	708671	0.00194	4	26.63	0.1502
1000-1100	698362	0.00196	4	26.99	0.1482
1100-1200	689727	0.00195	4	28.62	0.1398
1200-1300	682254	0.00195	4	29.41	0.1360
1300-1400	678251	0.00194	4	30.71	0.1303
1400-1500	676616	0.00194	4	30.91	0.1294
1500-1600	677842	0.00194	4	30.76	0.1300
1600-1700	681525	0.00194	4	29.55	0.1354
1700-1800	687674	0.00196	4	28.12	0.1422
1800-1900	695892	0.00196	1	27.24	0.0367
1900-2000	705782	0.00195	1	26.92	0.0370
2000-2100	711150	0.00195	1	26.38	0.0379
2100-2200	713217	0.00194	1	26.86	0.0372
2200-2300	714871	0.00194	1	26.69	0.0375
2300-0000	715699	0.00194	1	26.61	0.0376

MARCH

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	713631	0.00194	0	26.82	0
0100-0200	714458	0.00194	0	26.73	0
0200-0300	715699	0.00194	0	26.61	0
0300-0400	716940	0.00194	0	26.49	0
0400-0500	718182	0.00193	0	27.06	0
0500-0600	719425	0.00193	4	26.93	0.14897
0600-0700	720253	0.00193	4	26.85	0.14875
0700-0800	719839	0.00193	4	26.89	0.14916
0800-0900	713631	0.00194	4	26.82	0.14813
0900-1000	704956	0.00195	4	27.00	0.14682
1000-1100	695892	0.00196	4	27.24	0.13043
1100-1200	687264	0.00195	4	28.89	0.13151
1200-1300	680706	0.00194	4	30.41	0.12591
1300-1400	676207	0.00193	4	31.77	0.12531
1400-1500	674981	0.00194	4	31.92	0.12900
1500-1600	675798	0.00194	4	31.01	0.13088
1600-1700	679479	0.00195	4	29.13	0.13723
1700-1800	685213	0.00195	1	27.55	0.03630
1800-1900	693013	0.00196	1	27.21	0.03674
1900-2000	702894	0.00195	1	26.71	0.03744
2000-2100	707846	0.00195	1	26.42	0.03784
2100-2200	710737	0.00194	1	26.98	0.03206
2200-2300	711977	0.00194	1	26.86	0.03723
2300-0000	713217	0.00194			

APRIL

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	711977	0.00194	0	26.98	0
0100-0200	712390	0.00194	0	26.94	0
0200-0300	713217	0.00194	0	26.86	0
0300-0400	714458	0.00194	0	26.73	0
0400-0500	714871	0.00194	0	26.69	0
0500-0600	716113	0.00194	0	26.57	0
0600-0700	716940	0.00194	4	26.49	0.1504
0700-0800	716940	0.00194	4	26.49	0.1469
0800-0900	711150	0.00195	4	26.38	0.1506
0900-1000	702482	0.00195	4	27.26	0.1503
1000-1100	693425	0.00195	4	28.21	0.1481
1100-1200	685213	0.00195	4	29.13	0.1373
1200-1300	678660	0.00194	4	30.66	0.1305
1300-1400	674573	0.00193	4	31.97	0.1251
1400-1500	672939	0.00193	4	32.18	0.1243
1500-1600	674573	0.00193	4	31.97	0.1251
1600-1700	678251	0.00194	4	30.71	0.1303
1700-1800	684393	0.00195	4	29.22	0.1369
1800-1900	692191	0.00196	4	27.63	0.1303
1900-2000	701245	0.00196	1	26.69	0.0362
2000-2100	705782	0.00195	1	26.92	0.0372
2100-2200	708258	0.00195	1	26.67	0.0375
2200-2300	709497	0.00195	1	26.54	0.0377
2300-0000	710737	0.00195	1	26.42	0.0378

MAY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	709497	0.00195	0	26.54362	0
0100-0200	709911	0.00195	0	26.50239	0
0200-0300	711563	0.00194	0	27.02460	0
0300-0400	712390	0.00194	0	26.94107	0
0400-0500	713217	0.00194	0	26.85790	0
0500-0600	714458	0.00194	0	26.73376	0
0600-0700	714871	0.00194	4	26.69261	0.149854
0700-0800	710737	0.00195	4	26.42039	0.151398
0800-0900	704544	0.00195	4	27.04384	0.147907
0900-1000	697538	0.00196	4	27.02246	0.147751
1000-1100	689727	0.00195	4	28.61994	0.139762
1100-1200	683083	0.00195	4	29.26495	0.136682
1200-1300	679069	0.00194	4	30.60958	0.130678
1300-1400	676616	0.00193	4	30.90621	0.129423
1400-1500	675798	0.00193	4	31.92038	0.125311
1500-1600	678251	0.00194	4	31.00601	0.129007
1600-1700	682344	0.00194	4	30.70806	0.130258
1700-1800	687674	0.00195	4	29.45266	0.135811
1800-1900	694247	0.00196	1	28.11976	0.035562
1900-2000	701245	0.00196	1	27.41583	0.036475
2000-2100	704956	0.00196	1	26.69274	0.037463
2100-2200	707433	0.00195	1	26.00174	0.037034
2200-2300	707433	0.00195	1	26.75051	0.037382
2300-0000	708258	0.00195	1	26.66755	0.037498

JUNE

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	709497	0.00195	0	26.54362	0
0100-0200	709911	0.00195	0	26.50239	0
0200-0300	710737	0.00194	0	26.42039	0
0300-0400	711563	0.00194	0	27.02460	0
0400-0500	712390	0.00194	0	26.94107	0
0500-0600	713631	0.00194	4	26.81640	0.14962
0600-0700	714458	0.00194	4	26.73376	0.151391
0700-0800	710737	0.00195	4	26.42039	0.14721
0800-0900	703307	0.00195	4	27.17079	0.14682
0900-1000	695892	0.00196	4	27.24345	0.13931
1000-1100	688906	0.00196	4	28.71092	0.13581
1100-1200	682344	0.00194	4	29.45266	0.13004
1200-1300	677842	0.00194	4	30.75746	0.12511
1300-1400	674573	0.00193	4	30.97186	0.12470
1400-1500	673756	0.00193	4	32.07528	0.12511
1500-1600	674573	0.00193	4	31.97186	0.12511
1600-1700	677025	0.00195	4	30.85648	0.12963
1700-1800	680706	0.00195	4	29.64191	0.13494
1800-1900	686443	0.00195	1	28.98628	0.03449
1900-2000	693425	0.00196	1	27.50252	0.03740
2000-2100	700833	0.00196	1	26.73458	0.03709
2100-2200	705369	0.00195	1	26.95963	0.03738
2200-2300	707433	0.00195	1	26.75051	0.03738
2300-0000	708671	0.00195	1	26.62615	0.03755

TABLE 4 CONTINUED

	JULY					AUGUST					SEPTEMBER				
HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	708671	0.00195	0	26.63	0	708671	0.00195	0	26.62615	0	708671	0.00195	0	26.62615	0
0100-0200	709497	0.00195	0	26.54	0	709497	0.00195	0	26.54362	0	709497	0.00195	0	26.54362	0
0200-0300	710324	0.00195	0	26.46	0	709911	0.00195	0	26.50239	0	709911	0.00195	0	26.50239	0
0300-0400	711150	0.00195	0	26.38	0	710737	0.00195	0	26.42039	0	710737	0.00195	0	26.42039	0
0400-0500	711377	0.00194	0	26.98	0	712390	0.00194	0	27.02460	0	711563	0.00194	0	27.02460	0
0500-0600	712804	0.00194	0	26.90	0	712390	0.00194	0	26.94107	0	712390	0.00194	0	26.94107	0
0600-0700	714044	0.00194	4	26.78	0.1494	708671	0.00195	4	26.85790	0.149931	705790	0.00194	4	26.85790	0.149931
0700-0800	709497	0.00195	4	26.54	0.1507	701658	0.00195	4	26.62615	0.150228	702804	0.00194	4	26.89939	0.148702
0800-0900	702894	0.00195	4	27.21	0.1470	693836	0.00195	4	27.34129	0.146298	707433	0.00196	4	26.75051	0.149529
0900-1000	695070	0.00196	4	27.33	0.1464	680706	0.00195	4	27.45913	0.145671	691185	0.00195	4	26.90285	0.148683
1000-1100	687674	0.00195	4	28.85	0.1387	686054	0.00195	4	28.94008	0.138216	690959	0.00193	4	28.48414	0.140428
1100-1200	681116	0.00194	4	30.37	0.1317	675798	0.00193	4	30.41380	0.131519	676207	0.00192	4	29.35854	0.136246
1200-1300	676616	0.00194	4	30.91	0.1294	672123	0.00193	4	31.81764	0.125716	670899	0.00193	4	31.71523	0.126122
1300-1400	673756	0.00193	4	32.08	0.1247	671307	0.00194	4	32.28338	0.123902	672531	0.00193	4	33.29424	0.120921
1400-1500	672123	0.00193	4	32.23	0.1239	674981	0.00195	4	33.24034	0.120335	670899	0.00192	4	32.23122	0.124103
1500-1600	672531	0.00194	4	31.11	0.1241	679069	0.00195	4	32.28338	0.123902	672531	0.00193	4	30.95605	0.129215
1600-1700	674981	0.00195	4	31.11	0.1286	685213	0.00195	4	31.92038	0.125311	682344	0.00195	4	29.45266	0.135811
1700-1800	679479	0.00195	4	29.78	0.1343	691781	0.00196	4	30.60958	0.130678	689227	0.00196	4	27.89725	0.035845
1800-1900	685213	0.00196	1	29.13	0.0343	695597	0.00196	1	29.12516	0.034334	698774	0.00196	1	26.94504	0.037112
1900-2000	692191	0.00196	1	27.63	0.0362	699597	0.00196	1	27.67705	0.036131	703307	0.00195	1	27.17079	0.036804
2000-2100	699597	0.00196	1	26.86	0.0372	704131	0.00195	1	26.86064	0.037229	705782	0.00195	1	26.91760	0.037150
2100-2200	703719	0.00195	1	27.13	0.0369	706607	0.00195	1	26.08613	0.036919	707020	0.00195	1	26.79218	0.037324
2200-2300	706194	0.00195	1	26.88	0.0372	707846	0.00195	1	26.83393	0.037266	708258	0.00195	1	26.66755	0.037498
2300-0000	707846	0.00195	1	26.71	0.0374	707846	0.00195	1	26.70894	0.037440					

	OCTOBER					NOVEMBER					DECEMBER				
HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	709497	0.00195	0	26.543	0	713631	0.00193	0	27.51836	0	715699	0.00194	0	26.61040	0
0100-0200	710324	0.00195	0	26.461	0	714044	0.00193	0	27.47596	0	716527	0.00194	0	26.52853	0
0200-0300	710737	0.00194	0	26.420	0	715285	0.00193	0	27.34911	0	716940	0.00193	0	26.48782	0
0300-0400	711563	0.00194	0	27.024	0	716527	0.00193	0	27.30697	0	718596	0.00193	0	27.01457	0
0400-0500	712804	0.00194	0	26.899	0	716940	0.00193	0	27.22295	0	719425	0.00193	0	26.93169	0
0500-0600	714044	0.00194	0	26.775	0	718596	0.00193	0	27.18118	0	720253	0.00193	0	26.84926	0
0600-0700	714458	0.00194	4	26.733	0.1496	719425	0.00192	4	27.72544	0.144271	720667	0.00193	4	26.80817	0.149208
0700-0800	715285	0.00194	4	26.651	0.1500	719010	0.00192	4	27.64038	0.144715	721496	0.00193	4	26.72616	0.149666
0800-0900	709911	0.00195	4	26.502	0.1509	711977	0.00194	4	27.68291	0.144493	722325	0.00193	4	26.64449	0.150124
0900-1000	701658	0.00195	4	27.341	0.1462	700833	0.00194	4	26.98274	0.148242	715699	0.00195	4	26.61040	0.150317
1000-1100	691370	0.00195	4	28.439	0.1406	690548	0.00194	4	28.14136	0.142139	704544	0.00195	4	27.04384	0.147907
1100-1200	682754	0.00194	1	30.171	0.1325	682344	0.00193	4	29.27226	0.136648	693425	0.00194	4	28.21499	0.141768
1200-1300	676616	0.00193	4	31.715	0.1261	676616	0.00192	4	31.01066	0.128987	683983	0.00193	4	29.26495	0.136682
1300-1400	672123	0.00192	4	33.132	0.1207	674164	0.00192	4	32.54980	0.122888	677842	0.00194	4	30.75746	0.130049
1400-1500	670899	0.00192	4	33.294	0.1201	676207	0.00192	4	32.86625	0.121705	676207	0.00194	4	26.72616	0.129215
1500-1600	671715	0.00193	4	32.335	0.1237	681935	0.00193	4	31.76638	0.125919	678251	0.00194	4	30.70806	0.130258
1600-1700	675798	0.00193	1	31.006	0.1290	690548	0.00194	4	30.26794	0.132153	683983	0.00194	4	29.26495	0.136682
1700-1800	681935	0.00194	4	29.499	0.1355	701245	0.00195	1	28.52935	0.140206	692602	0.00196	1	28.58970	0.144981
1800-1900	689727	0.00196	1	27.897	0.0358	701245	0.00195	1	27.38423	0.036517	703719	0.00195	1	27.12841	0.036861
1900-2000	699597	0.00195	1	26.860	0.0372	700497	0.00194	1	27.48985	0.036946	712390	0.00194	1	26.54362	0.037673
2000-2100	704956	0.00195	1	27.001	0.0370	709497	0.00194	1	27.23483	0.036717	714044	0.00194	1	26.94107	0.037118
2100-2200	707020	0.00195	1	26.792	0.0373	711150	0.00194	1	27.64630	0.036946	714044	0.00194	1	26.77508	0.037348
2200-2300	707846	0.00195	1	26.708	0.0374	712390	0.00194	1	27.64630	0.036171	714458	0.00194	1	26.73376	0.037405
2300-0010	709084	0.00195	1	26.584	0.0376	713217	0.00193	1	27.56095	0.036283	715285	0.00194	1	26.65146	0.037521

TABLE 5. HOMESTEAD 5 INCH THICK ASPHALT

	JANUARY					FEBRUARY					MARCH				
HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	717354	0.00108	0	494.6158	0	716527	0.00108	0	496.1386	0	714458	0.00109	0	477.4591	0
0100-0200	718182	0.00108	0	493.0975	0	717354	0.00108	0	494.6158	0	715699	0.00109	0	475.2559	0
0200-0300	719839	0.00108	0	491.5857	0	718596	0.00108	0	492.3408	0	716527	0.00108	0	496.6158	0
0300-0400	720667	0.00108	0	490.0784	0	719425	0.00108	0	490.8303	0	717354	0.00108	0	494.6158	0
0400-0500	721496	0.00108	0	488.5792	0	720253	0.00108	0	489.3280	0	718596	0.00108	0	492.3408	0
0500-0600	721496	0.00108	0	487.0846	0	721082	0.00109	0	487.8302	0	719425	0.00108	0	490.8303	0
0600-0700	722325	0.00108	4	485.5962	0.008237	721910	0.00108	4	486.3405	0.008224	720253	0.00108	4	489.3280	0.0081
0700-0800	723154	0.00108	4	484.1141	0.008262	722325	0.00108	4	485.5962	0.008237	720667	0.00108	4	488.5792	0.0081
0800-0900	723154	0.00108	4	484.1141	0.008262	721082	0.00108	4	487.8302	0.008199	718596	0.00108	4	492.3408	0.0081
0900-1000	720667	0.00108	4	488.5792	0.008187	717354	0.00108	4	494.6158	0.008087	714458	0.00108	4	477.4591	0.0083
1000-1100	716113	0.00108	4	474.5240	0.008429	705369	0.00108	4	482.6535	0.007731	709497	0.00108	4	486.4081	0.0082
1100-1200	709497	0.00109	4	486.4081	0.008223	703719	0.00107	4	517.3306	0.007232	703719	0.00107	4	520.5695	0.0071
1200-1300	702482	0.00108	4	523.0160	0.007647	700009	0.00107	4	553.0909	0.006771	697950	0.00106	4	557.4500	0.0076
1300-1400	697122	0.00107	4	559.2055	0.007153	695070	0.00106	4	590.7193	0.006696	693425	0.00106	4	594.4613	0.0067
1400-1500	693425	0.00106	4	594.4613	0.006728	692191	0.00106	4	597.2898	0.006654	690548	0.00105	4	630.2581	0.0063
1500-1600	692191	0.00106	4	597.2898	0.006696	690548	0.00106	4	601.0846	0.006665	689316	0.00105	4	633.2645	0.0063
1600-1700	693013	0.00106	4	568.0962	0.007041	690959	0.00106	4	600.1322	0.007041	689727	0.00106	4	602.9932	0.0066
1700-1800	696715	0.00108	4	534.6330	0.007041	693013	0.00108	4	568.0962	0.001873	691781	0.00108	1	570.7965	0.0070
1800-1900	702070	0.00109	1	500.2421	0.001999	697122	0.00108	1	533.7914	0.002002	695481	0.00108	1	537.1649	0.0018
1900-2000	707020	0.00108	1	490.9628	0.002036	702482	0.00109	1	499.4606	0.002039	700833	0.00108	1	502.5987	0.0019
2000-2100	710737	0.00109	1	484.1498	0.002065	707433	0.00109	1	490.1993	0.002065	705369	0.00109	1	494.0313	0.0020
2100-2200	713217	0.00109	1	479.6763	0.002084	710737	0.00109	1	484.1498	0.002084	709084	0.00109	1	487.1635	0.0020
2200-2300	714871	0.00109	1	476.7243	0.002097	713217	0.00109	1	479.6763	0.002100	711563	0.00109	1	482.6535	0.0020
2300-0000	716527	0.00108	1	496.1386	0.002015	715285	0.00109	1	475.9893	0.002100	713217	0.00109	1	479.6763	0.0020

	APRIL					MAY					JUNE				
HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	712804	0.00109	0	480.4174	0	710737	0.00109	0	484.1498	0	709911	0.00109	0	485.6535	0
0100-0200	713631	0.00109	0	478.9351	0	711563	0.00109	0	482.6535	0	711150	0.00109	0	483.4009	0
0200-0300	714871	0.00109	0	476.7243	0	712804	0.00109	0	480.4174	0	711977	0.00109	0	481.9059	0
0300-0400	715699	0.00108	0	475.2559	0	713631	0.00109	0	478.9351	0	712804	0.00109	0	480.4174	0
0400-0500	716113	0.00108	0	496.9034	0	714458	0.00108	0	477.4591	0	713631	0.00109	0	478.9351	0
0500-0600	716940	0.00108	0	495.3773	0	715699	0.00108	0	475.2559	0	714458	0.00109	0	472.4591	0
0600-0700	717768	0.00108	4	493.8558	0.008099	716113	0.00108	4	496.9034	0.008049	715285	0.00108	4	475.9893	0.0084
0700-0800	718182	0.00108	4	493.0975	0.008111	715285	0.00109	4	475.9893	0.008403	714458	0.00108	4	477.4591	0.0083
0800-0900	716527	0.00108	4	496.1386	0.008062	712390	0.00109	4	481.1618	0.008313	711563	0.00109	4	482.6535	0.0082
0900-1000	712804	0.00109	4	480.4174	0.008326	708671	0.00109	4	487.9205	0.008198	707433	0.00109	4	490.1993	0.0081
1000-1100	707433	0.00108	4	513.3179	0.007792	699185	0.00107	4	520.5695	0.007683	702482	0.00108	4	557.4500	0.0076
1100-1200	701658	0.00108	4	524.6545	0.007624	695070	0.00106	4	554.8297	0.007209	697950	0.00107	4	594.4613	0.0071
1200-1300	696304	0.00107	4	560.9687	0.007130	690137	0.00106	4	590.7193	0.006771	693425	0.00106	4	631.2588	0.0067
1300-1400	691781	0.00105	4	627.2688	0.006376	691781	0.00105	4	598.2337	0.006686	690137	0.00105	4	668.5367	0.0059
1400-1500	688906	0.00105	4	634.2694	0.006306	689316	0.00105	4	635.2645	0.006316	687674	0.00104	4	671.7365	0.0059
1500-1600	688085	0.00105	4	636.2883	0.006296	688495	0.00104	4	635.2790	0.006296	686443	0.00104	4	670.6658	0.0059
1600-1700	688495	0.00106	4	635.2790	0.006665	688495	0.00105	4	602.0390	0.006644	686854	0.00105	4	636.2883	0.0062
1700-1800	690959	0.00108	1	600.1322	0.001855	692602	0.00107	1	568.9951	0.001757	688085	0.00106	4	601.0846	0.0016
1800-1900	694658	0.00108	1	538.8625	0.001980	696304	0.00106	1	568.0390	0.001867	690548	0.00106	1	539.7131	0.0018
1900-2000	699597	0.00109	1	504.9685	0.002014	700421	0.00108	1	535.4745	0.001986	694247	0.00108	1	505.7619	0.0019
2000-2100	704131	0.00109	1	496.3495	0.002039	700421	0.00109	1	503.3869	0.002014	699185	0.00109	1	492.9008	0.0020
2100-2200	707433	0.00109	1	490.1993	0.002055	704131	0.00109	1	496.3495	0.002036	703307	0.00109	1	492.4947	0.0020
2200-2300	709497	0.00109	1	486.4081	0.002071	707020	0.00109	1	490.1993	0.002052	706194	0.00109	1	488.6731	0.0020
2300-0000	711563	0.00109	1	482.6535	0.002071	709084	0.00109	1	487.1635	0.002052	708258	0.00109	1	488.6731	0.0020

TABLE 5 CONTINUED

JULY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	709084	0.00109	0	487.1635	0
0100-0200	710324	0.00109	0	484.9004	0
0200-0300	711563	0.00109	0	482.6535	0
0300-0400	712390	0.00109	0	481.1618	0
0400-0500	713217	0.00109	0	479.6763	0
0500-0600	714044	0.00109	4	478.1972	0.008390
0600-0700	714871	0.00109	4	476.7243	0.008364
0700-0800	714044	0.00109	4	478.1972	0.007636
0800-0900	711150	0.00109	4	483.4009	0.007768
0900-1000	706607	0.00108	4	514.9186	0.007153
1000-1100	702070	0.00108	4	523.8344	0.007636
1100-1200	697127	0.00107	4	559.2055	0.006707
1200-1300	692602	0.00106	4	596.3457	0.006316
1300-1400	689316	0.00105	4	633.2645	0.006021
1400-1500	686443	0.00104	4	671.7365	0.005954
1500-1600	685213	0.00103	4	708.3620	0.005646
1600-1700	685213	0.00104	4	624.9548	0.005926
1700-1800	686854	0.00105	1	639.3319	0.006256
1800-1900	689727	0.00106	1	602.9932	0.001658
1900-2000	693425	0.00107	1	567.1971	0.001763
2000-2100	697950	0.00108	1	532.1156	0.001879
2100-2200	702070	0.00108	1	500.2421	0.001999
2200-2300	704956	0.00109	1	494.6030	0.002021
2300-0000	707433	0.00109	1	490.1993	0.002039

SEPTEMBER

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	709911	0.00109	0	485.6525	0
0100-0200	711150	0.00109	0	483.4009	0
0200-0300	711563	0.00109	0	482.6535	0
0300-0400	712390	0.00109	0	481.1618	0
0400-0500	713217	0.00109	0	479.6763	0
0500-0600	714044	0.00109	4	478.1972	0.008377
0600-0700	714458	0.00109	4	477.4591	0.008390
0700-0800	714871	0.00109	4	476.7243	0.008338
0800-0900	713217	0.00109	4	479.6763	0.008223
0900-1000	709497	0.00107	4	486.4081	0.007198
1000-1100	704544	0.00106	4	518.9466	0.007636
1100-1200	698774	0.00106	4	555.6999	0.006739
1200-1300	693836	0.00104	4	593.5233	0.006021
1300-1400	689316	0.00104	4	664.3011	0.005954
1400-1500	686443	0.00104	4	671.7365	0.005646
1500-1600	685213	0.00104	4	708.3620	0.005935
1600-1700	685623	0.00105	4	673.8797	0.006286
1700-1800	688085	0.00106	1	636.2883	0.001751
1800-1900	691781	0.00107	1	570.7965	0.001870
1900-2000	696715	0.00108	1	534.6330	0.001992
2000-2100	701245	0.00109	1	501.8121	0.002017
2100-2200	704544	0.00109	1	495.5745	0.002036
2200-2300	707020	0.00109	1	490.9628	0.002049
2300-0000	708671	0.00109	1	487.9205	

OCTOBER

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	711150	0.00109	0	483.4009	0
0100-0200	711977	0.00109	0	481.9059	0
0200-0300	712804	0.00109	0	480.4174	0
0300-0400	713631	0.00109	0	478.9351	0
0400-0500	714458	0.00109	0	477.4591	0
0500-0600	715285	0.00109	4	475.9893	0.00841
0600-0700	715699	0.00108	4	475.2559	0.00806
0700-0800	716527	0.00108	4	496.1386	0.00840
0800-0900	715285	0.00109	4	475.9893	0.00828
0900-1000	711563	0.00109	4	482.6535	0.00723
1000-1100	705792	0.00107	4	516.5242	0.00676
1100-1200	700009	0.00108	4	553.0909	0.00633
1200-1300	694658	0.00106	4	591.6535	0.00597
1300-1400	690137	0.00105	4	631.2588	0.00594
1400-1500	687264	0.00104	4	669.6001	0.00595
1500-1600	686033	0.00104	4	672.8069	0.00660
1600-1700	686443	0.00104	4	671.7365	0.00175
1700-1800	688495	0.00106	1	605.8731	0.00187
1800-1900	692602	0.00107	1	568.9951	0.00200
1900-2000	697950	0.00108	1	532.1156	0.00203
2000-2100	702482	0.00109	1	499.4606	0.00204
2100-2200	706194	0.00109	1	492.4947	0.00205
2200-2300	708258	0.00109	1	488.6791	
2300-0000	709911	0.00109	1	485.6525	

NOVEMBER

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	714458	0.00112	0	416.8488	0
0100-0200	715285	0.00112	0	415.5656	0
0200-0300	716113	0.00112	0	414.2863	0
0300-0400	716940	0.00112	0	413.0140	0
0400-0500	717354	0.00112	0	412.3791	0
0500-0600	718182	0.00112	4	411.1132	0.009759
0600-0700	719010	0.00112	4	409.8528	0.009774
0700-0800	719425	0.00112	4	408.2230	0.009714
0800-0900	719039	0.00112	4	408.5961	0.009789
0900-1000	717768	0.00113	4	411.7455	0.009970
1000-1100	712804	0.00112	4	401.1982	0.009917
1100-1200	706607	0.00111	4	429.3063	0.008688
1200-1300	700009	0.00111	4	460.3631	0.008136
1300-1400	694658	0.0011	4	491.6243	0.007663
1400-1500	690959	0.00109	4	521.9679	0.007614
1500-1600	689316	0.00109	4	525.2900	0.008008
1600-1700	690548	0.0011	4	499.4609	0.008486
1700-1800	693836	0.00111	1	471.3595	0.002367
1800-1900	699185	0.00113	1	422.3635	0.002412
1900-2000	704131	0.00113	1	414.5032	0.002446
2000-2100	707846	0.00113	1	408.7309	0.002469
2100-2200	710324	0.00113	1	404.9420	0.002478
2200-2300	712390	0.00113	1	401.8198	0.002488
2300-0000	713631	0.00112	1	418.1374	0.002391

DECEMBER

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	716527	0.00108	0	496.1986	0
0100-0200	717354	0.00108	0	494.6158	0
0200-0300	717768	0.00108	0	493.8558	0
0300-0400	718596	0.00108	0	492.3408	0
0400-0500	719425	0.00108	0	490.8303	0
0500-0600	720253	0.00108	4	489.3280	0.008187
0600-0700	720667	0.00108	4	488.5792	0.008212
0700-0800	721496	0.00108	4	487.0846	0.008237
0800-0900	722325	0.00108	4	485.5962	0.008174
0900-1000	720253	0.00108	4	489.3280	0.008403
1000-1100	715285	0.00109	4	475.9893	0.008198
1100-1200	708671	0.00108	4	487.9205	0.008198
1200-1300	702070	0.00108	4	523.8344	0.007636
1300-1400	696304	0.00107	4	560.3457	0.007130
1400-1500	692602	0.00106	4	596.3457	0.006707
1500-1600	690959	0.00107	4	600.1322	0.006665
1600-1700	692191	0.00107	4	569.8959	0.007018
1700-1800	695481	0.00108	1	537.1648	0.007446
1800-1900	701245	0.00109	1	501.8121	0.002030
1900-2000	706194	0.00109	1	492.4947	0.002059
2000-2100	709911	0.00109	1	485.6525	0.002078
2100-2200	712390	0.00109	1	481.1618	0.002091
2200-2300	714044	0.00109	1	478.1972	0.002104
2300-0000	715634	0.00109	1	475.2559	

TABLE 6. HOMESTEAD 10 INCH STRONG SUPPORT

JANUARY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	666009	0.00144	0	143.0637	0
0100-0200	685623	0.00142	0	142.0062	0
0200-0300	688906	0.00141	0	145.2258	0
0300-0400	691986	0.00141	0	143.5362	0
0400-0500	694658	0.0014	0	147.2165	0
0500-0600	697538	0.0014	0	145.6022	0
0600-0700	700215	0.00139	4	149.3829	0.026776
0700-0800	702688	0.00139	4	147.9859	0.027029
0800-0900	705163	0.00138	4	151.9951	0.026316
0900-1000	707433	0.00138	4	150.6988	0.026543
1000-1100	708465	0.00138	4	150.1145	0.026646
1100-1200	708052	0.0014	4	139.9113	0.028589
1200-1300	704956	0.00141	4	136.6058	0.029281
1300-1400	699803	0.00142	4	134.4665	0.029747
1400-1500	692808	0.00142	4	138.1152	0.028961
1500-1600	685008	0.0014	4	142.3462	0.028100
1600-1700	677638	0.00142	1	146.5095	0.027301
1700-1800	671511	0.00142	1	150.0991	0.026649
1800-1900	667638	0.00142	1	152.4308	0.006560
1900-2000	666212	0.00143	1	148.0161	0.006756
2000-2100	667434	0.00144	1	140.7574	0.007104
2100-2200	667083	0.00144	1	142.2512	0.007029
2200-2300	673756	0.00143	1	143.6404	0.006961
2300-0000	677433	0.00143	1	141.5720	0.007063

MARCH

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
	651395	0.00145	0	146.6159	0
	675298	0.00143	0	142.4867	0
	679683	0.00142	0	140.3265	0
	683164	0.00142	0	143.3724	0
	686443	0.00141	0	141.5545	0
	689727	0.0014	0	144.7925	0
	692808	0.0014	4	143.0828	0.027955
	695687	0.0014	4	146.6369	0.027278
	698362	0.00139	4	145.1448	0.027558
	700009	0.0014	4	144.2365	0.027732
	700215	0.0014	4	139.0846	0.028759
	698362	0.00142	4	140.0703	0.028557
	694247	0.00142	4	137.3536	0.029121
	688906	0.00142	4	140.2098	0.028528
	681995	0.00142	4	144.0621	0.027765
	674777	0.00142	1	148.1708	0.026995
	668045	0.00141	1	157.6572	0.025371
	662347	0.00141	1	161.2976	0.024798
	658082	0.00142	1	164.0985	0.006093
	656459	0.00142	1	159.7095	0.006261
	658691	0.00143	1	153.9494	0.006495
	662347	0.00144	1	147.3388	0.006787
	666416	0.00144	1	145.1814	0.006887
				142.8310	0.007001

APRIL

	MODULUS	STRAIN	PASSES (n)	N	n/N
	645736	0.00146	0	144.9959	0
	672123	0.00143	0	144.5724	0
	675594	0.00143	0	142.6014	0
	679069	0.00143	0	140.6649	0
	682344	0.00142	0	143.8321	0
	685418	0.00141	0	142.1194	0
	688290	0.00141	4	145.5995	0.0274
	690959	0.00141	4	144.1055	0.0277
	693425	0.00141	4	142.7438	0.0280
	695070	0.00141	4	141.8453	0.0281
	695070	0.00141	4	141.8453	0.0281
	693219	0.00142	4	137.8970	0.0290
	689316	0.00142	4	139.9877	0.0285
	683983	0.00142	4	142.9154	0.0279
	677229	0.00142	4	146.7454	0.0272
	670083	0.00141	1	156.3025	0.0255
	663567	0.00141	1	160.5085	0.0249
	658082	0.0014	1	170.0435	0.0235
	654229	0.00141	1	166.6867	0.0059
	652407	0.00142	1	162.0064	0.0061
	655243	0.00143	1	156.2521	0.0063
	658691	0.00143	1	149.4141	0.0066
	662754	0.00144	1	147.3388	0.0067
				144.9439	0.0068

MAY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	636873	0.00147	0	145.3881	0
0100-0200	666009	0.00144	0	143.0637	0
0200-0300	669675	0.00143	0	140.9061	0
0300-0400	673143	0.00143	0	143.9893	0
0400-0500	676411	0.00143	0	143.1428	0
0500-0600	679683	0.00143	0	140.3265	0
0600-0700	682754	0.00142	4	143.6020	0.027854
0700-0800	685418	0.00142	4	142.1194	0.028145
0800-0900	687674	0.00142	4	140.8802	0.028392
0900-1000	688700	0.00142	4	140.3216	0.028505
1000-1100	687879	0.00143	4	140.7684	0.028415
1100-1200	685828	0.00143	4	137.0007	0.029196
1200-1300	681730	0.00143	4	139.2064	0.028734
1300-1400	676616	0.00142	4	147.1000	0.027192
1400-1500	670899	0.00142	4	150.4643	0.026584
1500-1600	664787	0.00141	4	153.7247	0.025043
1600-1700	659097	0.00139	4	169.3465	0.023620
1700-1800	654635	0.0014	4	172.4401	0.023196
1800-1900	650990	0.0014	4	175.0253	0.005713
1900-2000	648968	0.00142	1	170.3122	0.005871
2000-2100	648564	0.00142	1	164.6723	0.006072
2100-2200	650181	0.00143	1	157.9428	0.006331
2200-2300	652812	0.00143	1	150.9015	0.006253
2300-0000	655662	0.00144	1	148.5552	0.006731

JUNE

	MODULUS	STRAIN	PASSES (n)	N	n/N
	630050	0.00147	0	149.6220	0
	661534	0.00144	0	145.6574	0
	665194	0.00144	0	143.5313	0
	668860	0.0014	0	141.4444	0
	672327	0.00143	0	144.4555	0
	675390	0.00143	0	142.7162	0
	678251	0.00143	4	141.1175	0.028345
	681321	0.00142	4	144.4083	0.027699
	683574	0.00142	4	143.1434	0.027943
	683778	0.00143	4	137.6576	0.029057
	681525	0.00143	4	138.0980	0.028964
	677433	0.00143	4	139.3180	0.028711
	672123	0.00142	4	146.6277	0.027229
	666212	0.0014	4	149.7352	0.026713
	660112	0.0014	4	158.8158	0.025186
	654229	0.00139	4	168.6535	0.023717
	649372	0.00139	4	179.0287	0.022342
	645736	0.00139	4	182.6195	0.021903
	643517	0.00139	1	185.3728	0.005394
	642912	0.00141	1	187.0812	0.005345
	644324	0.00142	1	174.6213	0.005726
	647150	0.00143	1	167.5760	0.005967
	651193	0.00144	1	159.9220	0.006253
				151.9031	0.006583

JULY

	MODULUS	STRAIN	PASSES (n)	N	n/N
	626046	0.00147	0	152.1858	0
	658691	0.00144	0	147.3388	0
	662550	0.00144	0	145.0629	0
	666416	0.00144	0	142.8310	0
	669879	0.00139	0	140.8717	0
	673347	0.00143	0	143.8731	0
	676411	0.00143	4	142.1428	0.0281
	679479	0.00143	4	140.4388	0.0284
	681730	0.00143	4	139.2064	0.0287
	682754	0.00143	4	138.9835	0.0282
	682140	0.00143	4	140.3265	0.0285
	679683	0.00143	4	147.6938	0.0270
	675594	0.00142	4	150.8307	0.0265
	670287	0.00142	4	150.1159	0.0249
	664177	0.00139	4	168.5507	0.0226
	657879	0.00138	4	176.3938	0.0213
	652002	0.00138	4	187.3043	0.0208
	646746	0.00138	4	191.3884	0.0051
	642912	0.00138	1	194.4452	0.0052
	640636	0.00139	1	189.2844	0.0054
	640293	0.0014	1	182.9266	0.0058
	641502	0.00142	1	169.5478	0.0058
	644525	0.00143	1	161.6636	0.0061
	648160	0.00144	1	153.8052	0.0065

TABLE 6 CONTINUED

AUGUST

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	625247	0.00147	0	152.7046	0
0100-0200	658285	0.00144	0	147.5811	0
0200-0300	662347	0.00144	0	145.1814	0
0300-0400	666009	0.00144	0	143.0637	0
0400-0500	669675	0.00144	0	140.9861	0
0500-0600	672939	0.00143	0	144.1057	0
0600-0700	676207	0.00143	4	142.2571	0.028118
0700-0800	678865	0.00143	4	140.7776	0.028413
0800-0900	681116	0.00143	4	139.5411	0.028665
0900-1000	681935	0.00143	4	139.0949	0.028757
1000-1100	681116	0.00143	4	139.5411	0.028665
1100-1200	678660	0.00143	4	140.8909	0.028390
1200-1300	674368	0.00142	4	148.4104	0.026952
1300-1400	669064	0.00141	4	157.0181	0.025474
1400-1500	662957	0.0014	4	166.7316	0.023990
1500-1600	656459	0.00139	4	177.4125	0.022546
1600-1700	650586	0.00138	4	188.3927	0.021232
1700-1800	645333	0.00137	4	199.6364	0.020036
1800-1900	641703	0.00138	1	195.4230	0.005117
1900-2000	639488	0.00138	1	197.2322	0.005070
2000-2100	639085	0.0014	1	183.8496	0.005439
2100-2200	640494	0.00142	1	170.2598	0.005873
2200-2300	643219	0.00143	1	162.2036	0.006165
2300-0000	647756	0.00144	1	154.0609	0.006490

SEPTEMBER

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	631653	0.00147	0	148.6122	0
0100-0200	662550	0.00144	0	145.0629	0
0200-0300	666416	0.00144	0	142.8310	0
0300-0400	669675	0.00144	0	140.9861	0
0400-0500	672531	0.00143	0	144.3388	0
0500-0600	675594	0.00143	0	142.6014	0
0600-0700	678251	0.00143	4	141.1175	0.028345
0700-0800	680706	0.00143	4	139.7652	0.028619
0800-0900	682959	0.00142	4	143.4872	0.027877
0900-1000	684598	0.00142	4	142.5735	0.028055
1000-1100	684598	0.00143	4	140.5518	0.029057
1100-1200	682959	0.00143	4	138.5398	0.028872
1200-1300	679274	0.00142	4	140.5518	0.028459
1300-1400	673756	0.00142	4	148.7699	0.026887
1400-1500	667638	0.00141	4	157.9134	0.025330
1500-1600	660518	0.00139	4	168.3774	0.023756
1600-1700	654229	0.00138	4	179.0287	0.022342
1700-1800	648766	0.00138	4	189.8044	0.021074
1800-1900	644929	0.00139	1	185.9916	0.005376
1900-2000	642912	0.0014	1	180.9475	0.005526
2000-2100	643315	0.00142	1	168.2773	0.005942
2100-2200	645534	0.00143	1	160.9911	0.006211
2200-2300	648766	0.00144	1	153.4226	0.006517
2300-0000	652812	0.00144	1	150.9015	0.006626

OCTOBER

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	638084	0.00146	0	149.1772	0
0100-0200	667434	0.00144	0	142.2512	0
0200-0300	670899	0.00144	0	140.3016	0
0300-0400	674368	0.00143	0	143.2933	0
0400-0500	677433	0.00143	0	141.5720	0
0500-0600	680297	0.00143	0	139.9892	0
0600-0700	682959	0.00142	4	143.4872	0.02787
0700-0800	685623	0.00142	4	142.0062	0.02816
0800-0900	688085	0.00142	4	145.7152	0.02745
0900-1000	689932	0.00142	4	139.6548	0.02866
1000-1100	690137	0.00142	4	139.5443	0.02864
1100-1200	684495	0.00142	4	140.4330	0.02866
1200-1300	684803	0.00142	4	137.5478	0.02848
1300-1400	679069	0.00142	4	145.6881	0.02908
1400-1500	672327	0.00141	4	154.9954	0.02745
1500-1600	665194	0.0014	4	165.2415	0.02580
1600-1700	658691	0.0014	4	169.6249	0.02420
1700-1800	653014	0.00139	4	179.9178	0.02358
1800-1900	648968	0.0014	1	176.4823	0.02223
1900-2000	646948	0.00141	1	171.7331	0.00566
2000-2100	647553	0.00143	1	159.6569	0.00582
2100-2200	649777	0.00144	1	152.7872	0.00626
2200-2300	653622	0.00144	1	150.4437	0.00654
2300-0000	657676	0.00144	1	147.9456	0.00675

DECEMBER

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	662754	0.00144	0	144.9439	0
0100-0200	683574	0.00142	0	143.1434	0
0200-0300	686854	0.00142	0	141.3289	0
0300-0400	689521	0.00141	0	144.9078	0
0400-0500	692397	0.00141	0	143.3093	0
0500-0600	695070	0.0014	0	146.9841	0
0600-0700	697538	0.0014	4	145.6022	0.027472
0700-0800	700009	0.00139	4	149.5000	0.026755
0800-0900	702070	0.00139	4	148.3333	0.026966
0900-1000	704938	0.00139	4	152.4700	0.026234
1000-1100	705163	0.00141	4	146.2633	0.027347
1100-1200	702482	0.00141	4	141.4441	0.028279
1200-1300	705782	0.00141	4	137.8917	0.029008
1300-1400	702482	0.00142	4	135.7396	0.029468
1400-1500	690548	0.00142	4	139.3231	0.028710
1500-1600	682754	0.00142	4	143.6020	0.027854
1600-1700	675185	0.00142	4	147.9323	0.027039
1700-1800	669268	0.00142	4	151.4435	0.026412
1800-1900	665194	0.00143	1	153.9279	0.006496
1900-2000	663770	0.00143	1	149.4718	0.006690
2000-2100	664991	0.00143	1	143.6401	0.006961
2100-2200	667638	0.00144	1	142.1354	0.007035
2200-2300	671307	0.00144	1	140.745	0.007139
2300-0000	674981	0.00144	1	142.9468	0.006995

TABLE 7. MINOT 3 INCH THICK ASPHALT

JANUARY

HOUR	MODULUS	STRAIN	PASSES (n)
0000-0100	1001359	0.00166	0
0100-0200	1002554	0.00165	0
0200-0300	1003749	0.00165	0
0300-0400	1004417	0.00165	0
0400-0500	1005340	0.00165	0
0500-0600	1006136	0.00165	0
0600-0700	1007328	0.00165	4
0700-0800	1006533	0.00165	4
0800-0900	1004943	0.00165	4
0900-1000	998966	0.00166	4
1000-1100	989762	0.00168	4
1100-1200	980917	0.0017	4
1200-1300	973651	0.00171	4
1300-1400	968793	0.00172	4
1400-1500	967577	0.00172	4
1500-1600	969198	0.00172	4
1600-1700	974055	0.00171	4
1700-1800	981320	0.00169	4
1800-1900	990163	0.00168	4
1900-2000	994970	0.00167	1
2000-2100	997368	0.00166	1
2100-2200	998966	0.00166	1
2200-2300	999365	0.00166	1
2300-0000	1000561	0.00166	1

MARCH

HOUR	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	23.70305	0	986148	0.00169	0	22.57498	0	974863	0.00171	0	21.94832	0
0100-0200	24.35256	0	987354	0.00168	0	23.17428	0	976076	0.00171	0	21.87571	0
0200-0300	24.27537	0	988558	0.00168	0	23.10412	0	977287	0.0017	0	22.45241	0
0300-0400	24.24974	0	989762	0.00168	0	23.02929	0	978498	0.0017	0	22.37843	0
0400-0500	24.17312	0	990965	0.00168	0	22.95486	0	980514	0.0017	0	22.82226	0
0500-0600	24.12219	0	992167	0.00167	0	23.57413	0	982125	0.00169	0	22.74761	0.17586
0600-0700	24.04619	0.166346	992568	0.00169	4	23.54876	0.169860	983333	0.00169	4	22.77242	0.17568
0700-0800	24.09684	0.165996	993769	0.00168	4	23.47299	0.170408	982931	0.00169	4	21.77954	0.18369
0800-0900	24.19858	0.165298	989762	0.00168	4	23.02929	0.173691	977691	0.00171	4	21.60300	0.18511
0900-1000	23.85467	0.167682	982931	0.00169	4	22.77242	0.175651	970008	0.00172	4	20.80467	0.19221
1000-1100	23.02929	0.173691	975268	0.00171	4	21.92404	0.182448	962705	0.00174	4	20.60933	0.19401
1100-1200	22.23166	0.179923	968387	0.00172	4	21.69970	0.184334	955787	0.00176	1	20.30648	0.19691
1200-1300	22.02121	0.181643	963112	0.00173	4	21.38885	0.187013	950891	0.00176	1	20.51730	0.19491
1300-1400	21.67548	0.184540	959452	0.00174	4	20.93918	0.190537	945168	0.00176	1	20.49371	0.19513
1400-1500	21.74815	0.183923	957824	0.00174	4	21.08841	0.189677	945168	0.00176	1	20.63582	0.19383
1500-1600	21.65135	0.184745	960266	0.00174	4	20.94579	0.190969	947622	0.00175	1	20.84557	0.19180
1600-1700	21.99688	0.181843	964330	0.00173	4	21.31693	0.187644	951708	0.00174	1	21.06455	0.04741
1700-1800	22.87218	0.174884	920008	0.00172	1	21.60329	0.046289	958231	0.00173	1	21.26916	0.04701
1800-1900	23.00445	0.043469	977287	0.0017	1	22.45241	0.044538	965142	0.00173	1	21.65135	0.04611
1900-2000	23.39756	0.042739	981320	0.00169	1	22.87218	0.043721	969198	0.00172	1	21.55520	0.04631
2000-2100	23.95667	0.041742	983333	0.00169	1	22.74761	0.043960	970818	0.00172	1	22.09455	0.04521
2200-2300	23.82930	0.041965	984942	0.00169	1	22.64872	0.044152	922437	0.00171	1	22.02121	0.04541
2300-0000	23.75346	0.42099	985344	0.00169	1	22.62410	0.044200	973651	0.00171	1		

APRIL

(headers: MODULUS | STRAIN | PASSES (n) | N | n/N)

MAY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	965142	0.00173	0	21.26916	0
0100-0200	966360	0.00173	0	21.19780	0
0200-0300	968387	0.00172	0	21.69970	0
0300-0400	970008	0.00172	0	21.60320	0
0400-0500	972033	0.00171	0	22.11903	0
0500-0600	973651	0.00171	0	22.02121	0
0600-0700	972863	0.00172	4	21.94832	0.182246
0700-0800	972033	0.00172	4	21.48347	0.186189
0800-0900	965954	0.00173	4	21.22155	0.188487
0900-1000	952116	0.00176	4	21.04072	0.190107
1000-1100	952116	0.00176	4	20.23693	0.197658
1100-1200	945986	0.00177	4	20.01324	0.199867
1200-1300	941072	0.00178	4	20.29295	0.197112
1300-1400	937791	0.00178	4	19.91379	0.200865
1400-1500	935738	0.00178	1	20.03043	0.199696
1500-1600	937380	0.00177	1	20.50666	0.195058
1600-1700	940252	0.00177	1	20.34015	0.196655
1700-1800	944758	0.00176	1	20.65969	0.048403
1800-1900	950074	0.00175	1	20.94126	0.047752
1900-2000	956602	0.00174	1	21.16028	0.047258
2000-2100	959859	0.00173	1	20.96947	0.047688
2200-2300	962299	0.00173	1	21.43704	0.046648
2300-0000	963924	0.00173	1	21.34086	0.046858

JUNE

MODULUS	STRAIN	PASSES (n)	N	n/N
959045	0.00287	0	1.721496	0
961486	0.00286	0	1.739976	0
963112	0.00284	0	1.794015	0
965142	0.00283	0	1.815719	0
966765	0.00282	0	1.839885	0
968793	0.0028	0	1.895923	0
965548	0.00284	4	1.781978	2.244695
959859	0.00288	4	1.687995	2.369674
952932	0.00294	4	1.552315	2.576795
945577	0.003	4	1.432445	2.792427
939432	0.00305	4	1.341934	2.980771
934095	0.00309	4	1.276533	3.133487
930395	0.00312	4	1.229263	3.253980
927514	0.00314	4	1.200492	3.331966
925454	0.00316	1	1.169891	3.419120
925866	0.00315	1	1.187170	3.369356
926690	0.00314	1	1.203339	3.324084
929161	0.00311	1	1.253580	3.190860
933273	0.00303	1	1.300438	0.768971
938611	0.00303	1	1.390046	0.719400
944349	0.00298	1	1.486302	0.672810
950891	0.00293	1	1.588035	0.629709
954977	0.0029	1	1.652923	0.604988
957416	0.00289	1	1.670248	0.598695

JULY

MODULUS	STRAIN	PASSES (n)	N	n/N
955379	0.00175	0	20.63229	0
957009	0.00174	0	21.13631	0
959045	0.00174	0	21.01693	0
960672	0.00174	0	20.92221	0
962705	0.00173	0	21.31693	0
964330	0.00173	0	21.41295	0.18660
962705	0.00173	4	21.41295	0.19494
957416	0.00175	4	20.35306	0.19655
950074	0.00176	4	20.35306	0.19800
934917	0.00178	4	20.07735	0.19922
928749	0.00178	4	20.43466	0.19574
924218	0.00179	4	20.13087	0.19869
920093	0.00179	4	20.37229	0.19634
918029	0.00179	4	20.49458	0.19511
918029	0.00179	4	20.49458	0.19517
919268	0.00179	1	20.42105	0.19587
922156	0.00178	1	20.25105	0.19752
926690	0.00178	1	20.55588	0.04864
932451	0.00177	1	20.21916	0.04945
939022	0.00176	1	20.41123	0.04895
946395	0.00175	1	20.56459	0.04862
950891	0.00175	1	20.69334	0.04786
953748	0.00175	1	20.72696	0.0482

TABLE 7 CONTINUED

AUGUST

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	957416	0.00174	0	21.11237	0
0100-0200	959045	0.00174	0	21.06947	0
0200-0300	960672	0.00174	0	20.92221	0
0300-0400	962299	0.00173	0	21.43704	0
0400-0500	964330	0.00173	0	21.31693	0
0500-0600	965954	0.00172	0	21.22155	0
0600-0700	967382	0.00173	4	21.72391	0.184128
0700-0800	964330	0.00173	4	21.31693	0.187644
0800-0900	956602	0.00173	4	20.56257	0.194528
0900-1000	948440	0.00176	4	20.44664	0.195631
1000-1100	940252	0.00177	4	20.34015	0.196655
1100-1200	933684	0.00178	4	20.14808	0.198530
1200-1300	927926	0.00179	4	19.91720	0.200031
1300-1400	923806	0.00179	4	20.15480	0.198463
1400-1500	921744	0.00179	4	20.27519	0.197285
1500-1600	921744	0.00179	4	20.27519	0.197285
1600-1700	923393	0.00179	4	20.17884	0.198227
1700-1800	927102	0.00178	4	20.53155	0.194822
1800-1900	932862	0.00178	1	20.19543	0.049516
1900-2000	939432	0.00177	1	20.38750	0.049049
2000-2100	946804	0.00176	1	20.54093	0.048683
2100-2200	951708	0.00175	1	20.84557	0.047971
2200-2300	954156	0.00175	1	20.70335	0.048301
2300-0000	956194	0.00175	1	20.58596	0.048576

SEPTEMBER

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	955379	0.00175	0	20.63279	0
0100-0200	957009	0.00174	0	21.13631	0
0200-0300	958638	0.00174	0	21.04072	0
0300-0400	960672	0.00174	0	20.92221	0
0400-0500	961892	0.00173	0	21.46122	0
0500-0600	963924	0.00173	0	21.34086	0
0600-0700	966360	0.00173	4	21.19780	0.188698
0700-0800	967982	0.00172	4	21.72391	0.184128
0800-0900	962705	0.00174	4	20.80467	0.192264
0900-1000	954564	0.00175	4	20.67977	0.193445
1000-1100	945577	0.00177	4	20.03632	0.199637
1100-1200	936560	0.00178	4	19.89362	0.200163
1200-1300	929572	0.00179	4	20.38648	0.196208
1300-1400	924218	0.00179	4	20.13087	0.198699
1400-1500	921744	0.00179	4	20.27519	0.197285
1500-1600	924630	0.00179	4	20.10697	0.198935
1600-1700	929161	0.00178	4	20.41052	0.195977
1700-1800	936560	0.00177	1	20.55454	0.048651
1800-1900	944349	0.00176	1	20.68355	0.048347
1900-2000	948440	0.00176	1	20.44664	0.048907
2000-2100	951708	0.00175	1	20.84557	0.047971
2100-2200	952932	0.00175	1	20.77429	0.048136
2200-2300	954156	0.00175	1	20.70335	0.048301

OCTOBER

MODULUS	STRAIN	PASSES (n)	N	n/N
972842	0.00171	0	22.07004	0
974459	0.00171	0	21.97258	0
975672	0.00171	0	21.89985	0
976883	0.0017	0	22.47716	0
978094	0.0017	0	22.40307	0
979304	0.0017	4	22.32938	0
980514	0.0017	4	22.25602	0.17274
981723	0.00169	4	22.84717	0.17501
976883	0.00171	4	21.82758	0.18322
968793	0.00172	4	21.67548	0.1845
960266	0.00174	4	20.94579	0.1909
952116	0.00176	4	20.23693	0.1976
945168	0.00177	4	20.05943	0.1994
940662	0.00177	4	20.31653	0.1968
939022	0.00177	4	20.41123	0.1959
942301	0.00177	4	20.22250	0.19779
947213	0.00176	4	20.51730	0.19495
954564	0.00175	1	20.67977	0.04835
962299	0.00173	1	21.43704	0.04664
966765	0.00172	1	21.79686	0.04587
968793	0.00172	1	21.67548	0.04613
970413	0.00172	1	21.57918	0.04634
971628	0.00171	1	22.14361	0.04515
		54		2.57050

NOVEMBER

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	985344	0.00169	0	22.62410	0
0100-0200	985746	0.00169	0	22.59952	0
0200-0300	986550	0.00168	0	23.22965	0
0300-0400	987755	0.00168	0	23.15421	0
0400-0500	988960	0.00168	0	23.07910	0
0500-0600	989762	0.00168	4	23.02929	0.174254
0600-0700	990965	0.00167	4	23.57413	0.169677
0700-0800	992167	0.00168	4	23.57413	0.174631
0800-0900	991767	0.00168	4	22.90543	0.176610
0900-1000	984942	0.00169	4	22.64872	0.182649
1000-1100	975672	0.00171	4	21.99985	0.186698
1100-1200	966360	0.00173	4	21.19780	0.189892
1200-1300	958231	0.00174	4	21.06455	0.192545
1300-1400	952932	0.00175	4	20.77429	0.191667
1400-1500	951299	0.00175	4	20.86947	0.192765
1500-1600	953340	0.00175	4	20.75061	0.189677
1600-1700	957824	0.00174	4	21.08841	0.180065
1700-1800	965142	0.00173	4	21.26916	0.180065
1800-1900	973651	0.00171	1	22.12911	0.045410
1900-2000	978094	0.0017	1	22.40307	0.044636
2000-2100	980917	0.0017	1	22.23166	0.044980
2100-2200	981723	0.00169	1	22.84717	0.043769
2200-2300	982931	0.00169	1	22.77242	0.043912
2300-0000	984138	0.00169	1	22.69806	0.04056

DECEMBER

MODULUS	STRAIN	PASSES (n)	N	n/N
994170	0.00167	0	23.44777	0
994370	0.00167	0	23.39756	0
995770	0.00166	0	23.34750	0
996969	0.00166	0	23.98223	0
997368	0.00166	0	23.95667	0
998566	0.00166	4	23.88015	0
999365	0.00166	4	23.82930	0.167860
1000561	0.00166	4	23.75346	0.168396
1001757	0.00166	4	23.67796	0.168933
1000561	0.00167	4	23.75346	0.168396
993769	0.00167	4	23.47299	0.170408
984333	0.0017	4	23.08639	0.181106
974370	0.00172	4	21.97258	0.182045
967982	0.00173	4	21.72391	0.184128
965954	0.00173	4	21.22155	0.180487
967982	0.00172	4	21.72391	0.184128
974055	0.00172	4	21.99688	0.181843
982931	0.00169	4	22.77242	0.175651
988157	0.00168	1	23.12911	0.043235
990564	0.00168	1	22.97964	0.043516
991366	0.00168	1	22.93013	0.043610
992967	0.00167	1	23.57413	0.042419
992969	0.00167	1	23.52342	0.042510
993767	0.00167	1	23.47299	0.042602

TABLE 6. MINOT 5 INCH THICK ASPHALT

FEBRUARY / MARCH / APRIL

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	989960	0.00093	0	443.9668	0	982125	0.000942	0	424.1677	0	973246	0.000958	0	399.4622	0
0100-0200	989762	0.000929	0	445.3982	0	983333	0.00094	0	427.2973	0	974459	0.000956	0	402.3205	0
0300-0300	990965	0.000927	0	448.7686	0	984138	0.000938	0	430.9314	0	975268	0.000954	0	405.6573	0
0300-0400	991767	0.000926	0	450.2253	0	984942	0.000937	0	432.2940	0	976479	0.000952	0	408.5829	0
0400-0500	992167	0.000925	0	452.1780	0	986148	0.000935	0	435.5147	0	977691	0.000949	0	413.7121	0
0500-0600	992969	0.000924	0	453.6523	0	986952	0.000934	0	436.9012	0	978901	0.000947	0	416.7234	0
0600-0700	994170	0.000922	4	457.1190	0.000750	987755	0.000933	4	438.2966	0.009126	980111	0.000945	4	419.7676	0.00952
0700-0800	994970	0.000921	4	458.6219	0.008721	988858	0.000931	4	442.0663	0.009048	980514	0.000945	4	419.3080	0.00953
0800-0900	995370	0.000921	4	458.1309	0.008731	987354	0.000934	4	436.4273	0.009165	978901	0.00095	4	410.1849	0.00975
0900-1000	993369	0.000925	4	450.7214	0.008874	984540	0.000941	4	423.6445	0.009441	975672	0.000958	4	396.8207	0.01008
1000-1100	989361	0.000933	4	436.4031	0.009165	976076	0.000949	4	410.5453	0.009743	971223	0.000966	4	385.3239	0.01038
1100-1200	984540	0.000942	4	421.4006	0.009492	971628	0.000958	4	396.3831	0.010091	966360	0.000974	4	374.7769	0.01067
1200-1300	379708	0.000951	4	407.1378	0.009824	967982	0.000965	4	386.8944	0.010338	962299	0.000981	4	365.6371	0.01093
1300-1400	975288	0.000958	4	397.2589	0.010068	965142	0.000971	4	378.8647	0.010557	958638	0.000985	4	361.9310	0.01095
1400-1500	972437	0.000962	4	392.0942	0.010201	963924	0.000974	4	375.9986	0.010638	955787	0.000987	4	361.1340	0.01107
1500-1600	971223	0.000963	4	391.3633	0.010220	963924	0.000975	4	375.3353	0.010657	955564	0.000988	4	360.5383	0.01109
1600-1700	971628	0.00096	4	397.0753	0.010073	963924	0.000974	7	377.2661	0.010602	954156	0.000987	4	362.7815	0.01102
1700-1800	974055	0.000955	4	404.0785	0.009879	965142	0.000971	1	381.8430	0.010475	955787	0.000985	1	364.8153	0.01096
1800-1900	977691	0.000947	1	418.0992	0.002391	967982	0.000965	1	390.7902	0.002558	958638	0.00098	1	371.2586	0.00269
1900-2000	981320	0.000941	1	427.3592	0.002339	971628	0.000958	1	401.2374	0.002492	962299	0.000974	1	378.9662	0.00263
2000-2100	984138	0.000938	1	430.9314	0.002320	975268	0.000952	1	409.9363	0.002439	965954	0.000969	1	384.9362	0.00259
2100-2200	985746	0.000935	1	435.9882	0.002293	977691	0.000948	1	415.8987	0.002404	968387	0.000965	1	390.3548	0.00256
2200-2300	986952	0.000933	1	439.2662	0.002276	979708	0.000945	1	420.2280	0.002379	970413	0.000962	1	394.2274	0.00253
2300-0000	988157	0.000932	1	440.1755	0.002271	981320	0.000943	1	422.8465	0.002364	971628	0.00096	1	397.0753	0.00251

MAY / JUNE / JULY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	965142	0.001	0	329.5953	0	959452	0.000979	0	372.3155	0	956194	0.000984	0	366.2570	0
0100-0200	966360	0.001	0	328.4893	0	961486	0.000977	0	374.0251	0	958231	0.000982	0	367.9095	0
0300-0300	967982	0.000998	0	330.3144	0	963112	0.000974	0	378.1143	0	959859	0.000979	0	371.8949	0
0300-0400	969198	0.000996	0	332.5298	0	964736	0.000971	0	382.2714	0	961486	0.000977	0	374.0251	0
0400-0500	970413	0.000993	0	336.4581	0	966360	0.000969	0	384.5053	0	963112	0.000974	0	378.1143	0
0500-0600	972033	0.000991	0	338.3595	0	967982	0.000966	4	388.7717	0.010449	964330	0.000972	4	380.7359	0.01057
0600-0700	973246	0.000988	4	342.3880	0.011682	967982	0.000969	4	382.7907	0.010662	964736	0.000973	4	378.3587	0.01079
0700-0800	972842	0.000991	4	337.6102	0.011847	966954	0.000974	4	375.1568	0.010884	963112	0.000978	4	370.4449	0.01103
0800-0900	970818	0.000998	4	327.2491	0.012204	962299	0.000987	4	367.5064	0.011139	959859	0.000984	4	362.5419	0.01103
0900-1000	967171	0.00101	4	311.8484	0.012826	957024	0.000987	4	359.0909	0.011139	955379	0.00099	4	356.1003	0.01123
1000-1100	962705	0.00101	4	305.7186	0.012669	953340	0.000991	4	356.3304	0.011225	950483	0.000994	4	353.8042	0.01130
1100-1200	958231	0.00102	4	304.7969	0.013145	949257	0.000994	4	355.0232	0.011266	945577	0.000996	4	355.1302	0.01126
1200-1300	954156	0.00103	4	293.1195	0.013646	945577	0.000995	4	356.9184	0.011207	941402	0.000995	4	361.0706	0.01107
1300-1400	950801	0.00103	4	295.8094	0.013522	942301	0.000995	4	360.2349	0.011103	937791	0.000993	4	368.5595	0.01085
1400-1500	948440	0.00103	4	297.8510	0.013429	940252	0.000995	4	362.2307	0.011039	934917	0.000991	4	375.3514	0.01065
1500-1600	946804	0.00103	4	299.3246	0.013367	939022	0.000994	4	365.4296	0.010946	933273	0.000992	4	379.0246	0.01055
1600-1700	946395	0.00103	4	299.3693	0.013352	938611	0.000993	4	365.8562	0.010933	932862	0.000989	4	381.3921	0.01048
1700-1800	947213	0.00103	4	298.8804	0.013383	939022	0.000994	4	365.4296	0.010946	933273	0.00099	4	379.0246	0.01055
1800-1900	949257	0.00103	4	297.1684	0.003365	940662	0.000994	4	363.7342	0.002249	935328	0.000992	4	373.0262	0.00268
1900-2000	952116	0.00102	1	309.5332	0.003230	943121	0.000994	1	361.2122	0.002768	938201	0.000993	1	368.1305	0.00271
2000-2100	955787	0.00102	1	306.3750	0.003263	946804	0.000992	1	361.0980	0.002769	941892	0.000994	1	362.4697	0.00275
2100-2200	959045	0.00101	1	318.9398	0.003135	950801	0.000988	1	364.2616	0.002745	946395	0.000992	1	361.5140	0.00276
2200-2300	961486	0.00101	1	316.7865	0.003156	954564	0.000985	1	366.0622	0.002731	950483	0.000989	1	362.8385	0.00275
2300-0000	963518	0.00101	1	315.0092	0.003171	957416	0.000982	1	368.7447	0.002711	953748	0.000986	1	365.0407	0.00273

TABLE 8 CONTINUED

AUGUST

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	958638	0.000981	0	369.3702	0
0100-0200	960266	0.000979	0	371.4750	0
0200-0300	961486	0.000977	0	374.0251	0
0300-0400	963112	0.000974	0	378.1143	0
0400-0500	964736	0.000972	0	380.3090	0
0500-0600	965954	0.00097	0	382.9561	0
0600-0700	965377	0.000967	4	387.1972	0.010330
0700-0800	967171	0.00097	4	381.6732	0.010480
0800-0900	964330	0.000977	4	371.0926	0.010778
0900-1000	959889	0.000985	4	360.7053	0.011089
1000-1100	954564	0.000991	4	355.1140	0.011263
1100-1200	949666	0.000994	4	354.6159	0.011229
1200-1300	944758	0.000996	4	355.9512	0.011237
1300-1400	940662	0.000995	4	361.9100	0.011052
1400-1500	937791	0.000993	4	368.5595	0.010853
1500-1600	936149	0.000992	4	372.1550	0.010748
1600-1700	935738	0.000992	4	372.5908	0.010723
1700-1800	936560	0.000993	1	369.8520	0.010815
1800-1900	939022	0.000994	1	365.4296	0.002736
1900-2000	942711	0.000991	1	361.6311	0.002258
2000-2100	947213	0.000989	1	362.5061	0.002262
2100-2200	951299	0.000989	1	362.0097	0.002742
2200-2300	954156	0.000986	1	364.6249	0.002742
2300-0000	956602	0.000983	1	367.7055	0.002719

SEPTEMBER

MODULUS	STRAIN	PASSES (n)	N	n/N
957824	0.000982	0	368.3263	0
959045	0.000981	0	368.9526	0
960672	0.000978	0	372.9577	0
961892	0.000976	0	375.5224	0
963112	0.000975	0	376.1792	0
964330	0.000972	0	380.7359	0
965954	0.00097	4	382.9561	0.010445
967577	0.000967	4	387.1972	0.010330
966765	0.000972	4	378.1856	0.010576
963112	0.000979	4	368.5568	0.010853
958231	0.000987	4	358.6845	0.011151
952524	0.000993	4	353.3623	0.011313
947213	0.000996	4	353.4979	0.011315
942301	0.000996	4	358.4301	0.011159
939022	0.000994	4	365.4296	0.010946
936970	0.000993	4	369.4208	0.010827
936560	0.000993	4	369.8520	0.010815
938201	0.000993	1	368.1305	0.010865
941072	0.000994	1	363.3120	0.002752
945577	0.000992	1	362.2536	0.002759
949257	0.00099	1	362.5997	0.002760
952524	0.000988	1	362.2097	0.002757
954564	0.000986	1	364.2097	0.002745
956602	0.000984	1	365.8408	0.002733

OCTOBER

MODULUS	STRAIN	PASSES (n)	N	n/N
971628	0.00096	0	397.0753	0
972942	0.000958	0	399.9045	0
973651	0.000956	0	403.2109	0
974863	0.000955	0	403.9848	0
976076	0.000953	0	406.8911	0
976883	0.000951	0	410.2830	0
977691	0.000949	4	413.7121	0.009966
978901	0.000948	4	414.5301	0.009964
977691	0.000952	4	407.2344	0.00982
974459	0.00096	4	394.0084	0.01015
969603	0.000969	4	381.0876	0.01049
964330	0.000979	4	367.3175	0.01088
959045	0.000986	4	359.6923	0.01121
954564	0.00099	4	356.9112	0.01120
951299	0.000992	4	356.5688	0.01112
950074	0.000992	4	357.7953	0.01117
950074	0.000991	1	359.6042	0.01112
951708	0.000988	1	363.4289	0.01100
954971	0.000984	1	367.5084	0.00272
959452	0.000977	1	376.1419	0.002621
963518	0.000972	1	381.5916	0.002651
966360	0.000968	1	386.4955	0.00258
968387	0.000965	1	390.3548	0.002561
970008	0.000963	1	392.6711	0.002542

DECEMBER

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	988960	0.000931	0	441.5876	0
0100-0200	989361	0.00093	0	443.4874	0
0200-0300	990163	0.000928	0	447.3200	0
0300-0400	990965	0.000927	0	448.7686	0
0400-0500	991366	0.000926	0	450.7108	0
0500-0600	992167	0.000925	0	452.1780	0
0600-0700	992969	0.000924	4	453.6523	0.008817
0700-0800	993769	0.000923	4	455.1372	0.008788
0800-0900	994570	0.000922	4	456.6293	0.008759
0900-1000	994570	0.000922	4	456.6293	0.008759
1000-1100	992167	0.000927	4	447.3212	0.008942
1100-1200	987354	0.000937	4	429.4854	0.009313
1200-1300	981723	0.000948	4	411.3621	0.009723
1300-1400	976479	0.000957	4	398.0203	0.010049
1400-1500	972842	0.000962	4	391.6593	0.010212
1500-1600	971628	0.000961	4	395.0136	0.010126
1600-1700	972842	0.000957	1	401.9982	0.009950
1700-1800	976479	0.000949	1	415.0820	0.009636
1800-1900	980514	0.000943	1	423.7734	0.002359
1900-2000	983333	0.000939	1	429.5774	0.002327
2000-2100	984942	0.000936	1	434.6082	0.002300
2100-2200	986550	0.000934	1	437.3758	0.002286
2200-2300	987354	0.000933	1	438.7712	0.002279
2300-0000	988157	0.000932	1	440.1755	0.002271

TABLE 9. MINOT 10 INCH THICK ASPHALT

MARCH

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	978498	0.00112	0	144.9255	0
0100-0200	977287	0.00112	0	145.4046	0
0200-0300	980111	0.00116	0	150.6184	0
0300-0400	983132	0.00116	0	149.3881	0
0400-0500	986148	0.00116	0	148.1736	0
0500-0600	988759	0.00115	4	153.6424	0
0600-0700	991366	0.00115	4	152.5681	0.026217
0700-0800	993969	0.00114	4	158.2682	0.025273
0800-0900	996369	0.00114	4	157.2542	0.025436
0900-1000	998167	0.00114	4	156.5005	0.025559
1000-1100	998966	0.00114	4	156.1671	0.025613
1100-1200	997967	0.00114	4	149.8994	0.026685
1200-1300	995370	0.00116	4	144.5492	0.027673
1300-1400	991366	0.00117	4	139.9663	0.028578
1400-1500	985947	0.00119	4	130.4854	0.030654
1500-1600	980312	0.0012	4	127.0645	0.031480
1600-1700	974863	0.00121	4	128.9661	0.031015
1700-1800	970008	0.00121	1	125.3815	0.031902
1800-1900	966563	0.00121	1	126.5760	0.007900
1900-2000	964330	0.0012	1	132.7544	0.007532
2000-2100	964127	0.0012	1	132.8289	0.007528
2100-2200	965548	0.00119	1	137.9619	0.007248
2200-2300	967982	0.00119	1	137.0394	0.007297
2300-0000	971021	0.00118	1	141.7562	0.007054

APRIL

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	943530	0.00122	0	129.5368	0
0100-0200	953952	0.00121	0	131.0845	0
0200-0300	957009	0.00121	0	129.9716	0
0300-0400	960266	0.0012	0	134.2569	0
0400-0500	963112	0.0012	0	133.2023	0
0500-0600	965954	0.00119	4	137.8075	0
0600-0700	968995	0.00119	4	136.6579	0.029270
0700-0800	971830	0.00118	4	141.4420	0.028280
0800-0900	974863	0.00118	4	140.2272	0.028515
0900-1000	976681	0.00118	4	139.5775	0.028657
1000-1100	977287	0.00119	4	133.5896	0.029942
1100-1200	975874	0.0012	4	128.6103	0.031101
1200-1300	973044	0.00121	4	124.3416	0.032169
1300-1400	968387	0.00122	4	120.8640	0.033095
1400-1500	963112	0.00123	4	117.7314	0.033975
1500-1600	957416	0.00124	4	114.8616	0.034824
1600-1700	951708	0.00125	4	112.1125	0.035678
1700-1800	946804	0.00125	4	113.6667	0.035190
1800-1900	942916	0.00125	1	114.9200	0.008701
1900-2000	940662	0.00125	1	115.6554	0.008646
2000-2100	940662	0.00124	1	120.3947	0.008306
2100-2200	941892	0.00124	1	119.9762	0.008334
2200-2300	944144	0.00123	1	124.1406	0.008055
2300-0000	947213	0.00123	1	123.0716	0.008125

MAY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	910588	0.00127	0	116.4944	0
0100-0200	932040	0.00126	0	113.8992	0
0200-0300	935328	0.00125	0	117.4215	0
0300-0400	938611	0.00124	0	121.0921	0
0400-0500	942096	0.00124	0	119.9070	0
0500-0600	945577	0.00123	4	123.6399	0
0600-0700	948848	0.00122	4	127.6110	0.0313
0700-0800	952320	0.00122	4	126.3749	0.0315
0800-0900	955379	0.00122	4	125.2994	0.0319
0900-1000	957009	0.00122	4	124.7315	0.0320
1000-1100	957213	0.00123	4	115.6749	0.0344
1100-1200	955583	0.00124	4	115.5497	0.0346
1200-1300	952524	0.00125	4	111.8567	0.0357
1300-1400	948031	0.00126	4	108.8508	0.0367
1400-1500	942711	0.00127	4	106.2133	0.0376
1500-1600	937175	0.00128	4	103.7443	0.0385
1600-1700	931629	0.00129	4	105.3984	0.0379
1700-1800	926690	0.00129	1	103.9272	0.0389
1800-1900	922981	0.00129	1	103.5383	0.0095
1900-2000	920093	0.00129	1	104.7988	0.0095
2000-2100	919268	0.00128	1	109.2178	0.0091
2100-2200	919887	0.00128	1	109.0220	0.0091
2200-2300	921744	0.00127	1	112.2746	0.0088
2300-0000	924424	0.00127	1	111.9054	0.0089

JUNE

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	881935	0.00131	0	108.6354	0
0100-0200	913070	0.00129	0	106.9608	0
0200-0300	917616	0.00128	0	109.7426	0
0300-0400	921744	0.00127	0	112.2746	0
0400-0500	926072	0.00126	0	115.8658	0
0500-0600	930395	0.00126	4	114.4367	0
0600-0700	934506	0.00125	4	117.6969	0.033985
0700-0800	938406	0.00125	4	116.3978	0.034364
0800-0900	940867	0.00125	4	115.5882	0.034605
0900-1000	941687	0.00126	4	110.8161	0.036095
1000-1100	940662	0.00127	4	108.6310	0.037442
1100-1200	937996	0.00127	4	107.6421	0.037160
1200-1300	933684	0.00128	4	104.7813	0.038174
1300-1400	928543	0.00129	4	100.2764	0.039109
1400-1500	922775	0.0013	4	100.0505	0.039979
1500-1600	916790	0.0013	4	101.8006	0.039292
1600-1700	911415	0.0013	4	103.4085	0.038681
1700-1800	906447	0.0013	4	104.9258	0.038122
1800-1900	902510	0.0013	1	107.1500	0.009420
1900-2000	899606	0.0013	1	107.0656	0.009340
2000-2100	898361	0.0013	1	107.4615	0.009305
2100-2200	898568	0.0013	1	107.3956	0.009311
2200-2300	900436	0.0013	1	106.8028	0.009363
2300-0000	903546	0.0013	1	105.8260	0.009449

JULY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	864834	0.00133	0	106.1042	0
0100-0200	901680	0.0013	0	106.4106	0
0200-0300	906240	0.00129	0	109.1226	0
0300-0400	911002	0.00129	0	107.6091	0
0400-0500	915550	0.00128	0	110.4038	0
0500-0600	920093	0.00127	4	113.3147	0
0600-0700	924424	0.00127	4	111.9054	0.035744
0700-0800	928337	0.00126	4	115.1140	0.034748
0800-0900	931012	0.00127	4	108.8075	0.036427
0900-1000	932451	0.00127	4	109.3565	0.036577
1000-1100	931629	0.00128	4	105.3984	0.037951
1100-1200	929161	0.00129	4	102.0952	0.039179
1200-1300	924836	0.0013	4	99.45745	0.040218
1300-1400	919768	0.0013	4	101.0709	0.039576
1400-1500	914070	0.00131	4	99.04140	0.040387
1500-1600	906654	0.00131	4	100.9202	0.039635
1600-1700	900228	0.00131	4	102.8515	0.038891
1700-1800	894831	0.00131	4	104.5129	0.038272
1800-1900	890051	0.0013	1	110.1562	0.009078
1900-2000	886993	0.0013	1	111.1919	0.008993
2000-2100	885266	0.00131	1	107.5495	0.009298
2100-2200	887473	0.00131	1	107.4818	0.009303
2200-2300	887555	0.00131	1	106.8119	0.009362
2300-0000	891091	0.00131	1	105.6860	0.009461

AUGUST

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	878185	0.00131	0	109.8761	0
0100-0200	910588	0.0013	0	107.7395	0
0200-0300	914724	0.00128	0	110.6696	0
0300-0400	918855	0.00128	0	109.3486	0
0400-0500	922775	0.00127	0	112.4391	0
0500-0600	926690	0.00126	4	115.6600	0
0600-0700	930601	0.00125	4	114.3692	0.0349
0700-0800	934506	0.00125	4	117.6969	0.0339
0800-0900	937791	0.00125	4	116.6014	0.0343
0900-1000	939842	0.00126	4	115.9245	0.0345
1000-1100	937791	0.00128	4	111.3967	0.0359
1100-1200	933890	0.00129	4	98.46100	0.0406
1200-1300	928337	0.0013	4	101.0709	0.0397
1300-1400	922156	0.0013	4	102.2298	0.0391
1400-1500	915344	0.0013	4	100.2475	0.0399
1500-1600	908932	0.00131	4	100.9725	0.0396
1600-1700	903132	0.00131	4	101.9725	0.0392
1700-1800	898361	0.00131	4	104.5129	0.0383
1800-1900	895246	0.0013	1	108.4609	0.0093
1900-2000	894208	0.0013	1	111.1919	0.0092
2000-2100	895039	0.00131	1	104.7071	0.0093
2100-2200	897323	0.00131	1	108.5271	0.0092
2200-2300	901058	0.0013	1	107.7931	0.0092
2300-0000	—	0.0013	1	106.6065	0.0093

TABLE 9 CONTINUED

| | SEPTEMBER | | | | | OCTOBER | | | | |
HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	882768	0.00164	0	35.23840	0	934095	0.00123	0	127.7317	0
0100-0200	913690	0.00161	0	35.25804	0	947826	0.00123	0	122.8596	0
0200-0300	916996	0.00161	0	34.92030	0	951299	0.00122	0	126.7367	0
0300-0400	920300	0.0016	0	35.68163	0	954564	0.00121	0	130.8607	0
0400-0500	923600	0.00159	0	36.46836	0	957824	0.00121	0	129.6271	0
0500-0600	926896	0.00158	4	37.28151	0	961079	0.0012	4	133.9545	0
0600-0700	930189	0.00158	4	36.93081	0.108310	963924	0.0012	4	132.9034	0.030097
0700-0800	933479	0.00157	4	37.76502	0.105918	966968	0.00119	4	137.4227	0.029107
0800-0900	936970	0.00156	4	38.60509	0.103613	969806	0.00118	4	142.2300	0.028123
0900-1000	939842	0.00156	4	38.29150	0.104461	972033	0.00119	4	135.5226	0.029515
1000-1100	941277	0.00157	4	36.93697	0.108292	972842	0.00119	4	135.2225	0.029580
1100-1200	940662	0.00159	4	34.73205	0.115167	971830	0.0012	4	130.0415	0.030759
1200-1300	937791	0.00161	4	32.89459	0.121600	968793	0.00122	4	130.7290	0.033132
1300-1400	932862	0.00162	4	32.34284	0.123674	963924	0.00124	4	112.8065	0.035458
1400-1500	926690	0.00163	4	31.92259	0.125303	957620	0.00125	4	110.2774	0.036272
1500-1600	919631	0.00164	4	31.59396	0.126606	951095	0.00126	4	107.9108	0.037064
1600-1700	913070	0.00164	4	32.20727	0.124195	944554	0.00127	4	105.6619	0.037856
1700-1800	906861	0.00164	1	32.79830	0.121957	938817	0.00127	1	107.3914	0.037246
1800-1900	902302	0.00164	1	33.24179	0.030082	934712	0.00127	1	108.6529	0.009203
1900-2000	899191	0.00164	1	33.54918	0.029806	932451	0.00126	1	113.7654	0.008790
2000-2100	898568	0.00163	1	34.65495	0.028855	932246	0.00126	1	113.8321	0.008784
2100-2200	900021	0.00163	1	34.50605	0.028980	933890	0.00125	1	117.9039	0.008481
2200-2300	902302	0.00163	1	34.27407	0.029176	936765	0.00125	1	116.9420	0.008551
2300-0000	905411	0.00162	1	35.02253	0.028553	940047	0.00124	1	120.6047	0.008291

TABLE 10. WILLIAMS 3 INCH THICK ASPHALT

JANUARY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	722716	0.00192	0	26.80908	0
0100-0200	728961	0.00191	0	27.39320	0
0200-0300	729291	0.00191	0	27.31025	0
0300-0400	731037	0.00191	0	27.18638	0
0400-0500	732283	0.00191	0	27.06327	0
0500-0600	733530	0.0019	0	27.65731	0
0600-0700	734776	0.0019	4	27.53249	0.145282
0700-0800	736023	0.0019	4	27.40836	0.145940
0800-0900	735192	0.0019	4	27.49100	0.148502
0900-1000	726471	0.00192	4	26.93169	0.149162
1000-1100	713631	0.00194	4	26.81640	0.149162
1100-1200	701245	0.00195	4	27.38423	0.146069
1200-1300	690959	0.00195	4	28.48414	0.140428
1300-1400	684803	0.00195	4	29.17165	0.137119
1400-1500	682254	0.00195	4	29.40555	0.136028
1500-1600	684803	0.00195	4	29.17165	0.137119
1600-1700	690959	0.00196	4	26.76488	0.144066
1700-1800	700421	0.00196	1	26.77651	0.149384
1800-1900	712290	0.00194	1	26.94107	0.037118
1900-2000	719010	0.00193	1	26.92313	0.037073
2000-2100	722325	0.00193	1	26.64449	0.037531
2100-2200	723983	0.00192	1	27.17905	0.036793
2200-2300	725642	0.00192	1	27.01377	0.037018
2300-0000	726471	0.00192	1	26.93169	0.037130

FEBRUARY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	725227	0.00192	0	27.05498	0
0100-0200	726471	0.00192	0	26.93169	0
0200-0300	728716	0.00192	0	26.80908	0
0300-0400	728961	0.00191	0	27.39320	0
0400-0500	730207	0.00191	0	27.14529	0
0500-0600	731452	0.00191	4	27.74098	0.144190
0600-0700	732699	0.0019	4	27.61565	0.144845
0700-0800	733945	0.0019	4	27.65731	0.144627
0800-0900	733530	0.0019	4	26.21670	0.152574
0900-1000	725227	0.00192	4	27.47017	0.145612
1000-1100	712804	0.00195	4	28.57465	0.139984
1100-1200	690137	0.00195	4	29.31163	0.136464
1200-1300	683574	0.00195	4	30.36503	0.131730
1300-1400	681116	0.00194	4	29.35854	0.136246
1400-1500	683164	0.00195	4	27.98594	0.142928
1500-1600	680906	0.00196	4	26.98742	0.148217
1600-1700	698324	0.00196	1	26.46135	0.037790
1700-1800	710324	0.00194	1	26.52853	0.037695
1800-1900	716527	0.00194	1	26.89043	0.037187
1900-2000	719839	0.00193	1	26.68533	0.037473
2000-2100	721910	0.00193	1	26.60384	0.037588
2100-2200	722739	0.00193	1	27.22061	0.036736
2200-2300	723568	0.00192	1		

MARCH

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	722739	0.00193	0	26.60384	0
0100-0200	723983	0.00192	0	27.17905	0
0200-0300	725642	0.00192	0	27.01377	0
0300-0400	727301	0.00192	0	26.84986	0
0400-0500	728546	0.00191	0	27.43480	0
0500-0600	730207	0.00191	0	27.26881	0
0600-0700	731452	0.00191	4	27.14529	0.14735
0700-0800	730622	0.00191	4	27.22755	0.14691
0800-0900	723568	0.00194	4	26.52269	0.15081
0900-1000	713631	0.00194	4	26.81640	0.14916
1000-1100	693425	0.00195	4	28.21499	0.14176
1100-1200	685213	0.00195	4	29.12516	0.1373
1200-1300	681116	0.00195	4	30.36503	0.13175
1300-1400	679069	0.00194	4	30.60958	0.13067
1400-1500	680297	0.00194	4	30.46255	0.13130
1500-1600	684393	0.00195	4	27.51969	0.13690
1600-1700	690548	0.00196	4	27.80894	0.14983
1700-1800	698274	0.00196	1	26.94504	0.03771
1800-1900	708671	0.00195	1	26.62615	0.03755
1900-2000	714871	0.00194	1	26.69261	0.03746
2000-2100	717768	0.00193	1	27.09770	0.03690
2100-2200	719839	0.00193	1	26.89043	0.03718
2200-2300	721496	0.00193	1	26.72616	0.03741

APRIL

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	719010	0.00193	0	26.97313	0
0100-0200	720667	0.00191	0	26.80817	0
0200-0300	722325	0.00193	0	26.64449	0
0300-0400	723983	0.00196	0	24.51659	0
0400-0500	724812	0.00192	0	27.09629	0
0500-0600	726471	0.00192	4	26.93169	0.145578
0600-0700	728131	0.00193	4	27.47649	0.150354
0700-0800	722739	0.00193	4	26.60384	0.152338
0800-0900	712390	0.00195	4	26.25733	0.145840
0900-1000	700833	0.00195	4	27.42715	0.139762
1000-1100	689727	0.00194	4	28.61994	0.131308
1100-1200	680297	0.00193	4	30.46255	0.124504
1200-1300	673347	0.00191	4	32.12723	0.115910
1300-1400	668453	0.00191	4	34.50927	0.114784
1400-1500	666009	0.00191	4	34.84779	0.115159
1500-1600	666823	0.00192	4	34.73454	0.119946
1600-1700	670491	0.00192	4	33.34826	0.129423
1700-1800	676616	0.00194	4	30.90621	0.034225
1800-1900	684393	0.00195	1	29.21825	0.036532
1900-2000	694658	0.00196	1	27.37262	0.037092
2000-2100	705369	0.00195	1	26.95963	0.037060
2100-2200	711977	0.00194	1	28.98274	0.037521
2200-2300	715285	0.00194	1	26.65146	0.037811
2300-0000	717354	0.00194	1	26.44710	

MAY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	713217	0.00194	0	26.85790	0
0100-0200	714871	0.00194	0	26.69261	0
0200-0300	716527	0.00194	0	26.52853	0
0300-0400	718182	0.00193	0	27.05609	0
0400-0500	719839	0.00193	0	26.89043	0
0500-0600	721910	0.00193	4	26.68533	0.146947
0600-0700	723568	0.00194	4	27.22061	0.151710
0700-0800	718182	0.00195	4	26.36592	0.149994
0800-0900	708258	0.00196	4	26.66755	0.147519
0900-1000	697127	0.00195	4	27.11502	0.137557
1000-1100	685623	0.00195	4	29.07876	0.126122
1100-1200	676616	0.00194	4	31.71523	0.116287
1200-1300	669268	0.00191	4	34.39739	0.111084
1300-1400	664381	0.0019	4	36.00864	0.107311
1400-1500	662347	0.00189	4	37.27473	0.107360
1500-1600	662754	0.0019	4	36.24470	0.110360
1600-1700	665601	0.00193	4	34.90475	0.114597
1700-1800	670899	0.00195	4	32.44059	0.123302
1800-1900	678660	0.00196	1	29.88066	0.033466
1900-2000	688495	0.00196	1	28.03048	0.035675
2000-2100	699185	0.00196	1	26.90285	0.037170
2100-2200	705369	0.00195	1	26.95963	0.037092
2200-2300	709084	0.00195	1	26.58485	0.037615
2300-0000	711563	0.00194	1	27.02460	0.037003

JULY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	700421	0.00196	0	26.77651	0
0100-0200	702070	0.00195	0	27.29856	0
0200-0300	703307	0.00195	0	27.17079	0
0300-0400	704956	0.00195	0	27.00174	0
0400-0500	706607	0.00195	0	26.83393	0
0500-0600	709084	0.00195	0	26.58485	0
0600-0700	710737	0.00195	4	26.42039	0.15139
0700-0800	706194	0.00195	4	26.87577	0.14883
0800-0900	692950	0.00196	4	27.02990	0.14798
0900-1000	688495	0.00195	4	28.75662	0.19909
1000-1100	679888	0.00194	4	30.51141	0.13109
1100-1200	672939	0.00192	4	33.02594	0.12111
1200-1300	666823	0.00191	4	34.73654	0.11515
1300-1400	662254	0.00189	4	37.21376	0.10748
1400-1500	660721	0.00189	4	37.51969	0.10661
1500-1600	661128	0.00189	4	36.45817	0.10670
1600-1700	663567	0.0019	4	36.12648	0.11072
1700-1800	667638	0.00192	4	33.72939	0.11859
1800-1900	673347	0.00193	1	32.12723	0.03112
1900-2000	681116	0.00195	1	29.59438	0.03379
2000-2100	689727	0.00196	1	27.89725	0.03584
2100-2200	694658	0.00196	1	27.37262	0.03653
2200-2300	696715	0.00196	1	27.15777	0.03682
2300-0000	698362	0.00196	1	26.98742	0.03705

TABLE 10. CONTINUED

SEPTEMBER / OCTOBER / DECEMBER

	OCTOBER					SEPTEMBER	DECEMBER	
MODULUS	STRAIN	PASSES (n)	N	n/N		N	N	n/N
714044	0.00194	0	26.77508	0		26.79218	26.89074	0
715285	0.00194	0	26.65146	0		26.66755	26.80908	0
716527	0.00194	0	26.52853	0		26.46135	27.39320	0
717768	0.00194	0	26.40647	0		26.98274	27.31025	0
719839	0.00193	0	26.89043	0		26.81640	27.18638	0
721082	0.00193	0	26.76707	0		26.65146	27.06327	0
723154	0.00192	4	26.56917	0.15058		26.52853	27.69915	0.144408
724398	0.00194	4	27.13758	0.14739		26.56942	27.57398	0.145064
717354	0.00194	4	26.44710	0.15124		26.70894	27.44958	0.145721
705369	0.00195	4	26.95963	0.14836		27.90515	26.84986	0.149762
693013	0.00195	4	28.25971	0.14154		30.02936	26.81640	0.149162
681116	0.00194	4	30.36503	0.13173		33.07936	27.47017	0.145612
671715	0.00192	4	33.18656	0.12053		38.28174	28.71092	0.139319
665601	0.0019	4	35.83301	0.11623		40.22466	30.31649	0.131941
663160	0.0019	4	36.18560	0.11054		38.97339	30.65876	0.130468
664787	0.00192	4	35.95006	0.11126		32.54597	29.59438	0.135160
677433	0.00196	4	33.51091	0.11936		29.78478	28.11976	0.142248
687674	0.00196	1	30.80698	0.12904		27.27092	27.02990	0.147984
693185	0.00196	1	28.11976	0.03556		26.98742	27.06645	0.036946
705782	0.00195	1	26.90285	0.03717		27.34129	27.01457	0.037017
709084	0.00195	1	26.58485	0.03761		27.08613	26.48533	0.037473
710737	0.00195	1	26.42039	0.03784		26.91760	27.17905	0.036793
711977	0.00194	1	26.98274	0.03706			26.31..	0.037130

AUGUST / SEPTEMBER / NOVEMBER

HOUR	AUGUST					SEPTEMBER					NOVEMBER				
	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	705744	0.00195	0	27.04384	0	707020	0.00195	0	707020	0	723568	0.00192	0	27.22061	0
0100-0200	705782	0.00195	0	26.91760	0	708258	0.00195	0	708258	0	724398	0.00192	0	27.13758	0
0200-0300	707020	0.00195	0	26.79218	0	710324	0.00194	0	710324	0	726057	0.00192	0	26.97264	0
0300-0400	709084	0.00195	0	26.58485	0	711977	0.00194	0	711977	0	727301	0.00191	0	26.84986	0
0400-0500	710324	0.00195	0	26.94107	0	713631	0.00194	0	713631	0	728546	0.00191	0	27.43480	0
0500-0600	712390	0.00194	0	26.77508	0.149392	715285	0.00194	0	715285	0	729791	0.00191	0	27.31025	0
0600-0700	714044	0.00194	4	39.98554	0.100036	716527	0.00194	4	716527	0.147132	731037	0.00191	4	27.18638	0.147132
0700-0800	664787	0.00186	4	31.30770	0.127764	716113	0.00194	4	716113	0.147801	732283	0.00191	4	27.06327	0.147801
0800-0900	673347	0.00194	4	30.75746	0.130049	707846	0.00195	4	707846	0.147355	731452	0.00191	4	27.14529	0.147355
0900-1000	677842	0.00194	4	31.97186	0.125110	696304	0.00195	4	696304	0.149523	721910	0.00193	4	26.68533	0.149523
1000-1100	674573	0.00194	4	34.39739	0.116287	683983	0.00194	4	683983	0.141544	693013	0.00195	4	28.25971	0.141544
1100-1200	669268	0.00191	4	37.09237	0.107838	672531	0.00192	4	672531	0.124706	673756	0.00193	4	32.07528	0.124706
1200-1300	663567	0.00189	4	38.71815	0.103310	659097	0.00188	4	659097	0.120140	670899	0.00192	4	33.29424	0.120140
1300-1400	659503	0.00188	4	38.90936	0.102803	656662	0.00187	4	656662	0.121540	673347	0.00193	4	32.12723	0.124504
1400-1500	658285	0.00188	4	38.84548	0.102972	657879	0.00188	4	657879	0.135160	681116	0.00195	4	29.59438	0.135160
1500-1600	658691	0.00188	4	36.36360	0.110000	659097	0.0019	4	670083	0.144752	681116	0.00196	4	26.87577	0.144752
1600-1700	661940	0.0019	4	33.83937	0.118205	670083	0.00193	4	679479	0.037348	687674	0.00196	1	26.77508	0.037208
1700-1800	666823	0.00192	4	31.15629	0.032096	679479	0.00195	4	691370	0.037811	711150	0.00194	1	26.44710	0.037348
1800-1900	674573	0.001	4	29.35854	0.034061	691370	0.00196	1	693362	0.037187	716596	0.00193	1	26.89043	0.037811
1900-2000	683164	0.00192	1	27.50970	0.036245	693362	0.00195	1	701658	0.037359	721910	0.00194	1	26.76707	0.037187
2000-2100	692602	0.00	1	27.02990	0.036996	701658	0.00195	1	704131		721983	0.00193	1	26.48533	0.037473
2100-2200	697950	0.00	1	26.69274	0.037463	704131	0.00195	1	705782		724812	0.00192	1	27.17905	0.036793
2200-2300	701245	0.00196	1	27.21335	0.036746	705782	0.00195	1			72641	0.00193	1	26.64449	0.037130
2300-0000	702894	0.00195	1												

TABLE 11. WILLIAMS 5 INCH THICK ASPHALT

JANUARY / FEBRUARY / MARCH

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N
		JANUARY					FEBRUARY					MARCH			
0000-0100	725527	0.00107	0	503.3088	0	723154	0.00108	0	484.1141	0	720667	0.00108	0	488.5792	0
0100-0200	726471	0.00107	0	501.0153	0	724398	0.00107	0	504.8453	0	721910	0.00108	0	486.3405	0
0200-0300	727301	0.00107	0	499.4930	0	725642	0.00107	0	502.5421	0	723568	0.00107	0	506.3901	0
0300-0400	728546	0.00107	0	497.2214	0	726471	0.00107	0	501.0153	0	724812	0.00107	0	504.0772	0
0400-0500	729376	0.00106	0	519.5431	0	727776	0.00107	0	498.7342	0	726057	0.00107	0	501.7770	0
0500-0600	730622	0.00106	0	512.1852	0	728961	0.00107	0	496.4674	0	727301	0.00107	0	499.4930	0
0600-0700	731452	0.00106	4	515.6227	0.007757	729791	0.00106	4	518.7561	0.007710	728546	0.00107	4	497.2214	0.008041
0700-0800	732699	0.00106	4	513.2873	0.007792	731037	0.00106	4	516.4031	0.007745	728961	0.00107	4	496.4674	0.008051
0800-0900	732659	0.00106	4	513.2873	0.007792	731452	0.00106	4	515.6227	0.007757	726886	0.00107	4	500.2933	0.007991
0900-1000	729791	0.00107	4	494.9641	0.008081	728546	0.00107	4	497.2214	0.008044	722325	0.00108	4	485.5962	0.008231
1000-1100	723983	0.00108	4	482.6382	0.008287	723154	0.00108	4	484.1141	0.008262	716113	0.00108	4	474.5240	0.008421
1100-1200	716527	0.00109	4	473.7937	0.008442	715659	0.00109	4	475.2559	0.008416	709084	0.00109	4	487.1635	0.008211
1200-1300	708671	0.00108	4	510.9316	0.007828	707846	0.00108	4	512.5201	0.007804	702894	0.00108	4	522.1994	0.007651
1300-1400	702482	0.00108	4	523.0160	0.007647	701658	0.00107	4	524.6545	0.007624	697538	0.00107	4	558.3279	0.007161
1400-1500	697950	0.00107	4	557.4500	0.007175	696715	0.00107	4	560.0872	0.007141	694247	0.00106	4	592.5874	0.006751
1500-1600	696304	0.00107	4	560.9687	0.007130	695070	0.00107	4	563.6268	0.007096	692602	0.00106	4	596.3457	0.006701
1600-1700	697127	0.00107	4	533.7914	0.007493	695892	0.00107	4	561.8543	0.007119	693013	0.00107	4	568.0962	0.007041
1700-1800	700833	0.00109	4	502.5987	0.007958	699185	0.00108	4	529.6145	0.007552	695070	0.00108	4	538.0117	0.007431
1800-1900	707020	0.00109	1	490.9628	0.002036	705369	0.00109	1	494.0313	0.002024	699185	0.00109	1	529.6145	0.001881
1900-2000	712390	0.00109	1	481.1618	0.002078	710737	0.00109	1	484.1498	0.002065	704544	0.00109	1	495.5145	0.002051
2000-2100	716527	0.00108	1	496.1386	0.002015	714871	0.00109	1	476.7243	0.002097	709911	0.00109	1	485.6525	0.002051
2100-2200	719839	0.00108	1	490.0784	0.002040	717768	0.00108	1	493.8858	0.002024	713631	0.00109	1	478.9351	0.002081
2200-2300	721910	0.00108	1	486.3405	0.002056	719839	0.00108	1	490.0784	0.002040	716527	0.00108	1	496.1386	0.002011
2300-0000	723568	0.00107	1	506.3901	0.001974	721496	0.00108	1	487.0846	0.002053	719010	0.00108	1	491.5857	0.002031

APRIL / MAY / JUNE

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N	MODULUS	STRAIN	PASSES (n)	N	n/N
		APRIL					MAY					JUNE			
0000-0100	715699	0.00109	0	475.2559	0	711150	0.00109	0	483.4009	0	707020	0.00109	0	490.9628	0
0100-0200	717768	0.00108	0	493.8558	0	713217	0.00109	0	479.6763	0	709497	0.00109	0	486.4081	0
0200-0300	719839	0.00108	0	490.0784	0	714871	0.00109	0	476.7243	0	711563	0.00109	0	482.6535	0
0300-0400	721496	0.00108	0	487.0846	0	716940	0.00108	0	495.3773	0	713217	0.00109	0	479.6763	0
0400-0500	722739	0.00107	0	484.8553	0	718182	0.00108	0	493.0975	0	715295	0.00108	0	475.9893	0
0500-0600	724398	0.00107	0	504.8453	0	719839	0.00108	0	490.0784	0	716940	0.00108	0	495.3773	0
0600-0700	725642	0.00107	4	502.5421	0.007959	721496	0.00108	4	487.0846	0.008212	718182	0.00108	4	493.0975	0.008111
0700-0800	724398	0.00108	4	481.9017	0.008300	720667	0.00108	4	488.5792	0.008187	716113	0.00108	4	474.5240	0.008421
0800-0900	720253	0.00108	4	489.3280	0.008174	716527	0.00109	4	473.7937	0.008442	711977	0.00109	4	481.9059	0.008301
0900-1000	714044	0.00109	4	478.1972	0.008364	710737	0.00109	4	484.1498	0.008261	705369	0.00109	4	517.3306	0.007231
1000-1100	707020	0.00108	4	514.1174	0.007780	703307	0.00108	4	521.3826	0.007671	698362	0.00107	4	556.5740	0.007181
1100-1200	699597	0.00105	4	553.9594	0.007220	696304	0.00106	4	587.9335	0.006803	690959	0.00105	4	629.2595	0.006351
1200-1300	693013	0.00104	4	624.3014	0.006407	689727	0.00104	4	663.2467	0.006030	684803	0.00102	4	744.9605	0.005361
1300-1400	687674	0.00104	4	668.5367	0.005983	684393	0.00104	4	746.1505	0.005360	679479	0.000994	4	865.4371	0.004621
1400-1500	683574	0.00102	4	748.5353	0.005343	680297	0.00102	4	837.0954	0.004278	675390	0.000975	4	968.5687	0.004121
1500-1600	681525	0.00102	4	754.5478	0.005309	678251	0.000997	4	856.6142	0.004669	673756	0.000968	4	1010.602	0.003951
1600-1700	681935	0.00104	4	753.3394	0.005888	677642	0.001	4	845.1994	0.004732	673347	0.000972	4	991.5817	0.004031
1700-1800	683574	0.00105	4	679.2763	0.001566	679479	0.00101	4	799.0254	0.005006	674981	0.000988	4	907.9666	0.004401
1800-1900	687264	0.00105	1	638.3160	0.001980	682754	0.00104	1	681.4526	0.001467	678251	0.00104	1	802.8866	0.001241
1900-2000	692602	0.00107	1	568.9951	0.001757	688085	0.00108	1	606.8356	0.001647	683574	0.00104	1	679.2763	0.001741
2000-2100	699597	0.00109	1	504.3685	0.001980	694658	0.00108	1	538.8625	0.001855	690137	0.00107	1	574.4223	0.001741
2100-2200	705369	0.00109	1	494.0313	0.002024	700421	0.00109	1	503.3869	0.001986	695892	0.00108	1	536.3197	0.001861
2200-2300	709911	0.00109	1	485.6525	0.002059	704958	0.00109	1	494.8030	0.002021	700833	0.00109	1	502.5987	0.001981
2300-0000	713217	0.00109	1	479.6763	0.002084	708258	0.00109	1	468.6791	0.002046	704131	0.00109	1	496.3495	0.002011

TABLE 11. CONTINUED

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	702482	0.00109	0	493.4606	0
0100-0200	704131	0.00109	0	496.3495	0
0200-0300	705782	0.00109	0	493.2612	0
0300-0400	707020	0.00109	0	490.9628	0
0400-0500	708258	0.00109	0	488.6791	0
0500-0600	709911	0.00109	0	485.6525	0
0600-0700	711563	0.00109	4	482.6535	0.008287
0700-0800	710737	0.00109	4	484.1498	0.008261
0800-0900	707433	0.00109	4	490.1993	0.008159
0900-1000	702482	0.00108	4	523.0160	0.007647
1000-1100	697127	0.00107	4	559.2055	0.007153
1100-1200	691370	0.00105	4	628.2631	0.006366
1200-1300	686443	0.00103	4	704.9844	0.005673
1300-1400	681995	0.00101	4	791.3793	0.005054
1400-1500	679069	0.000997	4	853.8670	0.004684
1500-1600	677433	0.000992	4	881.2506	0.004539
1600-1700	677025	0.000994	4	873.8223	0.004577
1700-1800	678251	0.00101	4	802.8866	0.004982
1800-1900	680706	0.00102	1	756.9696	0.001321
1900-2000	684803	0.00105	1	644.4476	0.001551
2000-2100	690137	0.00107	1	574.4273	0.001740
2100-2200	694658	0.00108	1	538.8625	0.001855
2200-2300	697950	0.00108	1	532.1156	0.001879
2300-0000	700009	0.00108	1	527.9547	0.001894

MODULUS	STRAIN	PASSES (n)	N	n/N
704956	0.00109	0	494.8030	0
707020	0.00109	0	490.9628	0
708258	0.00109	0	488.6791	0
709911	0.00109	0	485.6525	0
711150	0.00109	0	483.4009	0
714044	0.00109	0	480.4174	0
697950	0.00105	4	478.1972	0.008364
692191	0.00105	4	612.6018	0.006529
690137	0.00105	4	626.2791	0.006386
688085	0.00104	4	631.2588	0.006336
684803	0.00103	4	667.4730	0.005992
681116	0.00101	4	709.4928	0.005637
677842	0.000989	4	793.9178	0.005038
675390	0.000978	4	893.2597	0.004477
674164	0.000974	4	953.8042	0.004193
674573	0.00098	4	978.2264	0.004088
676207	0.000996	4	947.1615	0.004223
679888	0.00102	1	867.8758	0.004608
684803	0.00105	1	759.3992	0.001316
690548	0.00107	1	644.4476	0.001551
695892	0.00108	1	573.5166	0.001743
700009	0.00108	1	536.3197	0.001864
702894	0.00109	1	527.9547	0.001894
			498.6808	0.002005

MODULUS	STRAIN	PASSES (n)	N	n/N
707846	0.00109	0	489.4375	0
709497	0.00109	0	486.4081	0
711150	0.00109	0	483.4009	0
712390	0.00109	0	481.1618	0
714044	0.00109	0	478.1972	0.00806
716527	0.00108	0	475.9893	0.00808
717354	0.00108	4	496.1386	0.00839
714871	0.00109	4	494.6158	0.00822
709497	0.00109	4	476.7243	0.00763
702070	0.00106	4	486.4081	0.00675
687264	0.00103	4	523.8344	0.00569
681116	0.001	4	592.5874	0.00479
677025	0.000984	4	702.7423	0.00435
675390	0.000979	4	834.4156	0.00421
675798	0.000989	4	919.1355	0.00444
678660	0.00101	4	948.9428	0.00495
683164	0.00104	1	900.4780	0.00146
689727	0.00107	1	801.5977	0.00179
695481	0.00108	1	680.3632	0.00186
700009	0.00109	1	575.3378	0.00198
703307	0.00109	1	537.1648	0.00200
705782	0.00109	1	504.1769	0.00202
			497.9008	
			493.2612	

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	713217	0.00109	0	479.6763	0
0100-0200	714871	0.00108	0	476.7243	0
0200-0300	716527	0.00108	0	496.1386	0
0300-0400	717768	0.00108	0	493.8558	0
0400-0500	719010	0.00108	0	491.5857	0
0500-0600	720253	0.00108	0	489.3280	0
0600-0700	721496	0.00108	4	487.0846	0.008212
0700-0800	722739	0.00108	4	484.8553	0.008249
0800-0900	721082	0.00108	4	487.8302	0.008199
0900-1000	716113	0.00109	4	474.5240	0.008429
1000-1100	709084	0.00108	4	510.1389	0.007841
1100-1200	701245	0.00107	4	550.4967	0.007266
1200-1300	693425	0.00105	4	623.3133	0.006417
1300-1400	682264	0.00103	4	702.7423	0.005691
1400-1500	682754	0.00101	4	750.9335	0.005326
1500-1600	680706	0.00101	4	795.1928	0.005030
1600-1700	681116	0.00102	4	755.7559	0.005292
1700-1800	684393	0.00104	1	677.1121	0.005907
1800-1900	688906	0.00106	1	604.9102	0.001653
1900-2000	695481	0.00108	1	537.1648	0.001861
2000-2100	701658	0.00109	1	501.0253	0.001995
2100-2200	706194	0.00109	1	492.4947	0.002030

MODULUS	STRAIN	PASSES (n)	N	n/N
721496	0.00108	0	487.0846	0
722739	0.00107	0	484.8553	0
723983	0.00107	0	505.6169	0
725227	0.00107	0	503.3088	0
726471	0.00107	0	501.0153	0
727301	0.00107	0	499.4930	0
728546	0.00107	4	497.2214	0.008044
729376	0.00106	4	519.5431	0.007699
729791	0.00106	4	518.7561	0.007710
726886	0.00107	4	500.2533	0.007995
719839	0.00108	4	490.0784	0.008161
711150	0.00108	4	483.4009	0.008274
702482	0.00108	4	523.0160	0.007647
695070	0.00106	4	590.7193	0.006771
689727	0.00105	4	632.2594	0.006326
687674	0.00104	4	668.5367	0.005983
688906	0.00106	4	604.9102	0.006612
693425	0.00107	1	567.1971	0.007052
700421	0.00109	1	503.3869	0.001986
707020	0.00109	1	490.9628	0.002036
711563	0.00109	1	482.6535	0.002071
715285	0.00109	1	475.9893	0.002100

MODULUS	STRAIN	PASSES (n)	N	n/N
724398	0.00107	0	504.8453	0
725642	0.00107	0	502.5421	0
726471	0.00107	0	501.0153	0
727301	0.00107	0	499.4930	0
728546	0.00106	0	497.2214	0
729376	0.00106	4	519.5431	0.00773
730622	0.00106	4	517.1852	0.00775
731452	0.00106	4	515.6227	0.00778
732283	0.00107	4	514.0648	0.03809
730207	0.00107	4	494.2129	0.00828
723983	0.00108	4	482.6382	0.00842
716113	0.00109	4	474.5240	0.00790
700421	0.00106	4	512.5201	0.00724
695481	0.00106	4	552.2243	0.00678
694247	0.00107	4	589.7895	0.00672
693425	0.00107	4	594.4613	0.00707
698362	0.00108	1	565.4092	0.00752
704956	0.00109	1	531.2794	0.00202
710737	0.00109	1	494.8030	0.00206
715699	0.00108	1	484.1498	0.00210
719010	0.00108	1	475.2559	0.00203
			491.5857	

TABLE 12. WILLIAMS 10 INCH THICK ASPHALT

JANUARY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	688495	0.0014	0	150.7546	0
0100-0200	700833	0.00139	0	149.0321	0
0200-0300	704534	0.00138	0	152.2512	0
0300-0400	708465	0.00137	0	155.6736	0
0400-0500	711977	0.00136	0	159.3676	0
0500-0600	715699	0.00135	0	163.0764	0
0600-0700	719010	0.00135	4	161.0828	0.024831
0700-0800	722325	0.00134	4	165.1467	0.024220
0800-0900	725434	0.00133	4	167.4981	0.023539
0900-1000	728339	0.00133	4	167.7024	0.023851
1000-1100	729999	0.00133	4	166.6880	0.023996
1100-1200	729791	0.00135	4	154.8188	0.025836
1200-1300	726264	0.00137	4	145.7125	0.027451
1300-1400	720253	0.00139	4	138.5622	0.028867
1400-1500	712184	0.00141	4	132.9421	0.030088
1500-1600	703307	0.00141	4	137.4610	0.029099
1600-1700	694658	0.00142	4	137.1371	0.029167
1700-1800	682264	0.00142	4	141.1043	0.028347
1800-1900	682344	0.00142	1	143.8321	0.006952
1900-2000	680297	0.00142	1	144.9883	0.006897
2000-2100	681116	0.00142	1	144.5242	0.006919
2100-2200	683778	0.00142	1	143.0296	0.006991
2200-2300	687674	0.00141	1	145.9474	0.006851
2300-0000	691781	0.0014	1	148.8538	0.006717

FEBRUARY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	681525	0.0014	0	149.4830	0
0100-0200	696098	0.0014	0	146.4063	0
0200-0300	700009	0.00139	0	149.5000	0
0300-0400	703719	0.00138	0	152.2296	0
0400-0500	707433	0.00137	4	156.2296	0.025313
0500-0600	710737	0.00137	4	154.3510	0.024698
0600-0700	714251	0.00136	4	158.0190	0.024072
0700-0800	717561	0.00135	4	161.9511	0.024332
0800-0900	720662	0.00134	4	166.1612	0.024518
0900-1000	723569	0.00134	4	164.3917	0.026383
1000-1100	725642	0.00134	4	163.1426	0.028058
1100-1200	725434	0.00136	4	151.6102	0.029510
1200-1300	722325	0.00138	4	142.5603	0.029694
1300-1400	716527	0.0014	4	135.5444	0.029747
1400-1500	708671	0.00141	4	134.7057	0.028778
1500-1600	699803	0.00142	4	134.4665	0.027988
1600-1700	691164	0.00142	4	138.9924	0.006863
1700-1800	683983	0.00142	1	142.9154	0.007046
1800-1900	679069	0.00143	1	145.6801	0.007063
1900-2000	676820	0.00143	1	141.9140	0.007131
2000-2100	677433	0.00143	1	141.5720	0.006985
2100-2200	679888	0.00143	1	140.2138	0.006851
2200-2300	683574	0.00142	1	143.1434	
2300-0000	687674	0.00141	1	145.9474	

MARCH

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	668045	0.00143	0	146.9363	0
0100-0200	682059	0.00141	0	146.2958	0
0200-0300	691370	0.00141	0	143.8773	0
0300-0400	695892	0.0014	0	146.5218	0
0400-0500	700009	0.00139	4	149.5000	0.025634
0500-0600	704131	0.00138	4	152.5895	0.025079
0600-0700	707846	0.00137	4	156.0367	0.025391
0700-0800	711770	0.00136	4	159.4912	0.025627
0800-0900	715078	0.00136	4	157.5325	0.026644
0900-1000	717561	0.00136	4	156.0839	0.028449
1000-1100	718182	0.00137	4	150.1235	0.029013
1100-1200	716320	0.00139	4	140.5990	0.029327
1200-1300	711977	0.0014	4	137.8651	0.029466
1300-1400	705369	0.00141	4	135.7396	0.028551
1400-1500	697333	0.00142	4	140.0987	0.027699
1500-1600	689111	0.00142	4	144.4083	0.026952
1600-1700	681321	0.00142	1	148.4104	0.006608
1700-1800	674368	0.00142	1	151.3205	0.006778
1800-1900	669472	0.00143	1	147.5347	0.006767
1900-2000	667027	0.00143	1	147.7754	0.007069
2000-2100	666619	0.00144	1	141.4444	0.006922
2100-2200	668860	0.00144	1	144.4555	0.007052
2200-2300	672327	0.00143	1	141.7995	
2300-0000	677025				

APRIL

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	634462	0.00147	0	146.8652	0
0100-0200	664381	0.00144	0	143.9999	0
0200-0300	670287	0.00144	0	140.6433	0
0300-0400	676003	0.00143	0	142.3715	0
0400-0500	681525	0.00142	0	144.2932	0
0500-0600	686954	0.00141	4	146.4122	0.026871
0600-0700	691781	0.0014	4	148.8538	0.026380
0700-0800	696304	0.00139	4	151.6294	0.026797
0800-0900	700421	0.00139	4	149.2658	0.027994
0900-1000	702482	0.0014	4	142.8872	0.028985
1000-1100	702276	0.00141	4	137.9995	0.029654
1100-1200	698980	0.00141	4	134.8889	0.028984
1200-1300	693013	0.00142	4	138.0063	0.028145
1300-1400	685418	0.00142	4	142.2194	0.026227
1400-1500	676411	0.00141	4	152.5139	0.024385
1500-1600	667027	0.0014	4	164.0341	0.021890
1600-1700	658082	0.00138	4	182.7279	0.020457
1700-1800	650383	0.00137	1	195.5320	0.004988
1800-1900	644324	0.00137	1	200.4706	0.005099
1900-2000	640097	0.00138	1	196.0787	0.005452
2000-2100	639689	0.00143	1	183.3893	0.006103
2100-2200	641300	0.00144	1	163.8393	0.006426
2200-2300	645333	0.00145	1	155.6073	0.006797
2300-0000	650586			147.1023	

MAY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	617268	0.00148	0	152.7550	0
0100-0200	652812	0.00145	0	145.7693	0
0200-0300	658408	0.00145	0	142.4447	0
0300-0400	664177	0.00144	0	144.1178	0
0400-0500	669472	0.00143	4	141.1000	0.027522
0500-0600	674573	0.00142	4	143.1773	0.028055
0600-0700	679683	0.00142	4	145.3377	0.027516
0700-0800	684598	0.00141	4	142.5735	0.028755
0800-0900	688700	0.00141	4	145.3686	0.028732
0900-1000	690959	0.00142	4	139.1023	0.029406
1000-1100	690753	0.00143	4	139.2129	0.027810
1100-1200	687674	0.00142	4	136.0228	0.026058
1200-1300	682344	0.0014	4	143.8321	0.024286
1300-1400	674277	0.00137	4	153.5001	0.021022
1400-1500	666009	0.00135	4	164.7031	0.018849
1500-1600	657067	0.00134	4	190.2060	0.017595
1600-1700	648362	0.00133	1	212.2042	0.004131
1700-1800	640696	0.00134	1	227.3343	0.004217
1800-1900	634663	0.00134	1	242.0363	0.004514
1900-2000	630651	0.00136	1	237.1126	0.005250
2000-2100	629248	0.00135	1	231.4939	0.005717
2100-2200	630651	0.00139	1	190.4752	0.006261
2200-2300	634061	0.00142	1	174.9023	
2300-0000	639085	0.00114		153.6346	

JUNE

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	600624	0.00147	0	169.9627	0
0100-0200	641502	0.00144	0	158.0962	0
0200-0300	647351	0.00144	0	154.3179	0
0300-0400	653014	0.00145	0	145.6492	0
0400-0500	658691	0.00144	0	147.3388	0
0500-0600	664177	0.00144	4	144.1178	0.028348
0600-0700	669472	0.00144	4	141.1000	0.027937
0700-0800	674573	0.00143	4	143.1773	0.028390
0800-0900	678660	0.00143	4	140.8909	0.028596
0900-1000	680502	0.00143	4	139.8769	0.028504
1000-1100	679683	0.00143	4	140.3265	0.028118
1100-1200	676207	0.00143	4	142.2571	0.025619
1200-1300	670491	0.00141	4	156.1290	0.023127
1300-1400	662754	0.00139	4	172.9571	0.020000
1400-1500	653824	0.00136	4	199.9948	0.017234
1500-1600	644722	0.00133	4	232.0981	0.014831
1600-1700	636069	0.0013	4	269.6876	0.013280
1700-1800	628247	0.00128	1	301.1959	0.003239
1800-1900	622450	0.00128	1	308.7296	0.003313
1900-2000	618662	0.00129	1	301.8176	0.003556
2000-2100	617268	0.00131	1	281.1561	0.004158
2100-2200	618662	0.00135	1	240.4497	0.004887
2200-2300	622251	0.00139	1	204.6087	0.005362
2300-0000	627237	0.00141		186.4864	

TABLE 12. CONTINUED

JULY / AUGUST / SEPTEMBER

HOUR	JULY MODULUS	STRAIN	PASSES (n)	N	n/N	AUGUST MODULUS	STRAIN	PASSES (n)	N	n/N	SEPTEMBER MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	600624	0.00146	0	175.8636	0	600624	0.00146	0	175.8636	0	600624	0.00146	0	175.8636	0
0100-0200	641502	0.00143	0	163.7018	0	641502	0.00143	0	163.7018	0	641502	0.00143	0	163.7018	0
0200-0300	645534	0.00143	0	160.9911	0	645534	0.00143	0	160.9911	0	645534	0.00143	0	160.9911	0
0300-0400	649777	0.00144	0	152.7872	0	649777	0.00144	0	152.7872	0	649777	0.00144	0	152.7872	0
0400-0500	653824	0.00144	0	150.2299	0	653824	0.00144	0	150.2299	0	653824	0.00144	0	150.2299	0
0500-0600	657879	0.00144	0	147.8240	0	657879	0.00144	0	147.8240	0	657879	0.00144	0	147.8240	0
0600-0700	661737	0.00144	4	145.5383	0.027484	661737	0.00144	4	145.5383	0.027484	661737	0.00144	4	145.5383	0.02748
0700-0800	665805	0.00144	4	143.1806	0.027936	665805	0.00144	4	143.1806	0.027936	665805	0.00144	4	143.1806	0.02793
0800-0900	669064	0.00144	4	141.3295	0.028302	669064	0.00144	4	141.3295	0.028302	669064	0.00144	4	141.3295	0.02830
0900-1000	671103	0.00143	4	145.1587	0.027556	671103	0.00143	4	145.1587	0.027556	671103	0.00143	4	145.1587	0.02755
1000-1100	670695	0.00143	4	145.3942	0.027511	670695	0.00143	4	145.3942	0.027511	670695	0.00143	4	145.3942	0.02755
1100-1200	668453	0.00142	4	151.9361	0.026326	668453	0.00142	4	151.9361	0.026326	668453	0.00142	4	151.9361	0.02632
1200-1300	663974	0.00142	4	160.2464	0.024961	663974	0.00141	4	160.2464	0.024961	663974	0.00141	4	160.2464	0.02496
1300-1400	658285	0.00139	4	176.1040	0.022713	658285	0.00139	4	176.1040	0.022713	658285	0.00139	4	176.1040	0.02271
1400-1500	651395	0.00137	4	194.7235	0.020541	651395	0.00137	4	194.7235	0.020541	651395	0.00135	4	194.7235	0.02054
1500-1600	644324	0.00135	4	215.7668	0.018538	644324	0.00135	4	215.7668	0.018538	644324	0.00135	4	215.7668	0.01853
1600-1700	637476	0.00133	4	239.2006	0.016722	637476	0.00133	4	239.2006	0.016722	637476	0.00133	4	239.2006	0.01672
1700-1800	631453	0.00131	4	264.6374	0.015115	631453	0.00131	4	264.6374	0.015115	631453	0.00131	4	264.6374	0.01511
1800-1900	626846	0.00131	1	269.8525	0.003705	626846	0.00131	1	269.8525	0.003705	626846	0.00131	1	269.8525	0.00370
1900-2000	623848	0.00132	1	263.1249	0.003800	623848	0.00132	1	263.1249	0.003800	623848	0.00132	1	263.1249	0.00380
2000-2100	622850	0.00134	1	245.1098	0.004079	622850	0.00134	1	245.1098	0.004079	622850	0.00134	1	245.1098	0.00407
2100-2200	623848	0.00137	1	218.4886	0.004576	623848	0.00137	1	218.4886	0.004576	623848	0.00137	1	218.4886	0.00457
2200-2300	626646	0.00139	1	200.8067	0.004979	626646	0.00139	1	200.8067	0.004979	626646	0.00139	1	200.8067	0.00497
2300-0000	630450	0.00141	1	183.9721	0.005435	630450	0.00141	1	183.9721	0.005435	630450	0.00141	1	183.9721	0.00543

OCTOBER / DECEMBER

HOUR	OCTOBER MODULUS	STRAIN	PASSES (n)	N	n/N	DECEMBER MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	636471	0.00147	0	145.6330	0	683164	0.00141	0	148.5292	0
0100-0200	665805	0.00144	0	143.1806	0	697127	0.00139	0	151.1528	0
0200-0300	670695	0.00143	0	140.4154	0	701245	0.00139	0	148.7988	0
0300-0400	675390	0.00143	0	142.7162	0	705163	0.00138	0	151.9951	0
0400-0500	679683	0.00142	0	140.3265	0	709084	0.00137	0	155.3117	0
0500-0600	683778	0.00141	0	143.0296	0	712390	0.00136	0	159.1215	0
0600-0700	687879	0.00141	4	145.8315	0.027428	715699	0.00135	4	163.0764	0.024528
0700-0800	691986	0.0014	4	143.5362	0.027867	719010	0.00135	4	161.0828	0.024831
0800-0900	695892	0.0014	4	146.5218	0.027602	722325	0.00134	4	165.1467	0.024220
0900-1000	698774	0.0014	4	144.9168	0.022736	725227	0.00133	4	169.6271	0.023581
1000-1100	700009	0.00141	4	139.1938	0.029560	727509	0.00134	4	162.0292	0.024686
1100-1200	698156	0.00142	4	135.3136	0.029030	727301	0.00135	4	156.2354	0.025602
1200-1300	693425	0.00142	4	137.7879	0.028235	724398	0.00138	4	141.4756	0.028273
1300-1400	686238	0.00142	4	141.6673	0.026311	718389	0.0014	4	134.6101	0.029715
1400-1500	677229	0.00141	4	152.0235	0.024444	710117	0.00141	4	133.9759	0.029856
1500-1600	667638	0.00138	4	163.6343	0.021926	700421	0.00142	4	134.1506	0.029817
1600-1700	658488	0.00137	4	182.4278	0.020474	691164	0.00142	4	138.3924	0.028778
1700-1800	650586	0.00138	4	195.3694	0.005185	683164	0.00143	4	143.3724	0.027899
1800-1900	644929	0.00139	1	192.8288	0.005314	677638	0.00143	1	146.5095	0.006825
1900-2000	642106	0.00142	1	188.1787	0.005912	675390	0.00143	1	142.7162	0.007006
2000-2100	642106	0.00143	1	169.1231	0.006185	676207	0.00143	1	142.2571	0.007029
2100-2200	644525	0.00144	1	161.6636	0.006517	678865	0.00142	1	140.7776	0.007103
2200-2300	653824	0.00145	1	153.4226	0.006888	682959	0.00142	1	143.4872	0.006969
2300-0000	653824	0.00145	1	145.1688	0.006888	687674	0.00141	1	145.9474	0.006851

TABLE 13. WRIGHT PATTERSON : IBM INITIAL ASPHALT

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100					
0100-0200					
0200-0300					
0300-0400					
0400-0500					
0500-0600					
0600-0700					
0700-0800					
0800-0900					
0900-1000					
1000-1100					
1100-1200					
1200-1300					
1300-1400					
1400-1500					
1500-1600					
1600-1700					
1700-1800					
1800-1900					
1900-2000					
2000-2100					
2100-2200					
2200-2300					
2300-0000					

TABLE 13. CONTINUED

AUGUST

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	959045	0.00174	0	21.01693	0
0100-0200	960266	0.00174	0	20.94573	0
0200-0300	961486	0.00174	0	20.87504	0
0300-0400	962705	0.00173	0	21.41295	0
0400-0500	963924	0.00173	0	21.34086	0
0500-0600	965548	0.00173	0	21.24534	0
0600-0700	966765	0.00173	4	21.17414	0.188909
0700-0800	966299	0.00174	4	20.82807	0.192048
0800-0900	954564	0.00175	4	20.67977	0.193425
0900-1000	945577	0.00177	4	20.03632	0.199637
1000-1100	937791	0.00178	7	19.91379	0.200865
1100-1200	930395	0.00178	7	20.33846	0.196671
1200-1300	924630	0.00178	7	20.10697	0.198935
1300-1400	920919	0.00179	7	20.32363	0.196815
1400-1500	919268	0.00179	7	20.42105	0.196110
1500-1600	919681	0.00179	7	20.39662	0.197520
1600-1700	922156	0.00179	7	20.25105	0.194591
1700-1800	926690	0.00178	1	20.55588	0.049524
1800-1900	933273	0.00178	1	20.17174	0.049220
1900-2000	940662	0.00177	1	20.31653	0.049574
2000-2100	948440	0.00176	1	20.44664	0.048907
2100-2200	953340	0.00175	1	20.75061	0.048191
2200-2300	956194	0.00175	1	20.58596	0.048576
2300-0000	957416	0.00174	1	21.11237	0.047365

SEPTEMBER

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	961892	0.00173	0	21.46122	0
0100-0200	963112	0.00173	0	21.38885	0
0200-0300	964430	0.00173	0	21.31693	0
0300-0400	965954	0.00173	0	21.22155	0
0400-0500	962577	0.00172	0	21.74815	0
0500-0600	968793	0.00172	4	21.67548	0.184951
0600-0700	969603	0.00172	4	21.62725	0.184745
0700-0800	969198	0.00173	4	21.65135	0.187223
0800-0900	963518	0.00175	4	21.36483	0.193205
0900-1000	954156	0.00177	4	20.70335	0.199176
1000-1100	944758	0.00177	4	20.08264	0.199929
1100-1200	936149	0.00178	7	20.00701	0.196208
1200-1300	929572	0.00178	7	20.38648	0.199172
1300-1400	925042	0.00179	7	20.08312	0.197991
1400-1500	922981	0.00179	7	20.20285	0.198463
1500-1600	923806	0.00179	7	20.15480	0.195052
1600-1700	927514	0.00178	7	20.50725	0.058213
1700-1800	833037	0.00148	1	68.71280	0.040649
1800-1900	884850	0.00178	1	24.60059	0.048475
1900-2000	925454	0.00178	1	20.62913	0.048459
2000-2100	945168	0.00176	1	20.63582	0.048246
2100-2200	953748	0.00174	1	20.72696	0.047419
2200-2300	957824	0.00174	1	21.08841	0.047742
2300-0000	960266	0.00174	1	20.94579	

NOVEMBER

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	974863	0.00171	0	21.94832	0
0100-0200	975672	0.00171	0	21.89985	0
0200-0300	976076	0.0017	0	21.87571	0
0300-0400	977691	0.0017	0	22.42769	0
0400-0500	978094	0.0017	0	22.40307	0
0500-0600	979304	0.0017	4	22.32938	0.1795
0600-0700	980110	0.0017	4	22.28048	0.1801
0700-0800	981320	0.0017	4	22.20734	0.1797
0800-0900	980514	0.0017	4	22.25602	0.1797
0900-1000	974459	0.00173	4	21.97258	0.1820
1000-1100	965548	0.00175	4	21.24534	0.1882
1100-1200	956602	0.00176	4	20.56257	0.1945
1200-1300	949257	0.00178	4	20.39977	0.1960
1300-1400	944349	0.00177	4	20.10583	0.1989
1400-1500	942301	0.00177	7	20.22250	0.1977
1500-1600	943530	0.00177	7	20.15237	0.1984
1600-1700	947622	0.00176	7	20.49371	0.1951
1700-1800	954564	0.00175	1	20.67977	0.1934
1800-1900	963518	0.00173	1	21.36483	0.04680
1900-2000	968387	0.00172	1	21.69970	0.04608
2000-2100	971223	0.00172	1	21.53125	0.04644
2100-2200	972437	0.00171	1	22.09455	0.04526
2200-2300	973246	0.00171	1	22.04564	0.04536
2300-0000	974055	0.00171	1	21.99688	0.04546

DECEMBER

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	981723	0.00169	0	22.84717	0
0100-0200	983333	0.00169	0	22.74761	0
0200-0300	983736	0.00169	0	22.72229	0
0300-0400	984942	0.00169	0	22.64872	0
0400-0500	985344	0.00169	0	22.62410	0
0500-0600	986148	0.00168	4	22.57498	0.172380
0600-0700	986952	0.00169	4	22.55047	0.177379
0700-0800	986550	0.00169	7	22.64872	0.176610
0800-0900	984942	0.00169	7	22.32938	0.179136
0900-1000	979304	0.0017	7	21.53125	0.185776
1000-1100	971223	0.00172	4	21.36483	0.187223
1100-1200	963518	0.00173	4	20.49273	0.195191
1200-1300	957824	0.00175	4	20.70335	0.193205
1300-1400	954156	0.00175	4	20.75061	0.192765
1400-1500	953340	0.00175	4	20.65629	0.193645
1500-1600	954971	0.00174	7	21.01693	0.190322
1600-1700	959045	0.00173	7	21.26916	0.188065
1700-1800	965142	0.00171	1	22.07004	0.045310
1800-1900	972842	0.0017	1	22.47716	0.044685
1900-2000	976883	0.0017	1	22.37843	0.044802
2000-2100	978490	0.0017	1	22.28042	0.044931
2100-2200	980111	0.0017	1	22.25602	0.044931
2200-2300	980514	0.0017	1	22.20734	0.045030
2300-0000	981320	0.0017		22.20734	

TABLE 1-4. WRIGHT PATTERSON 5 INCH THICK ASPHALT

JANUARY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	973901	0.000748	0	414.5301	0
0100-0200	979708	0.000746	0	418.0116	0
0200-0300	980514	0.000945	0	419.3080	0
0300-0400	980917	0.000944	0	421.0722	0
0400-0500	981723	0.000943	0	422.3840	0
0500-0600	982528	0.000941	0	425.9604	0
0600-0700	982931	0.000941	4	425.4951	0.009400
0700-0800	983736	0.000939	4	429.1086	0.009321
0800-0900	984138	0.000938	4	430.9314	0.009282
0900-1000	982931	0.000943	4	421.0021	0.009501
1000-1100	978901	0.000952	4	405.8943	0.009854
1100-1200	974055	0.000962	4	390.3608	0.010246
1200-1300	968387	0.000972	4	376.4998	0.010624
1300-1400	963924	0.000978	4	369.6138	0.010822
1400-1500	960672	0.000982	4	365.4234	0.010946
1500-1600	959045	0.000982	4	367.0279	0.010896
1600-1700	959859	0.000979	4	371.8949	0.010755
1700-1800	962299	0.000974	1	378.8662	0.010555
1800-1900	966765	0.000966	1	390.0773	0.002563
1900-2000	970818	0.000956	1	397.9508	0.002512
2000-2100	973651	0.000956	1	403.2109	0.002480
2100-2200	975672	0.000953	1	407.3402	0.002454
2200-2300	976883	0.000951	1	410.2830	0.002437
2300-0000	978094	0.000949	1	413.2579	0.002419

MARCH

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	973246	0.000957	0	401.5546	0
0100-0200	974459	0.000955	0	404.4313	0
0200-0300	975672	0.000953	0	407.3402	0
0300-0400	976479	0.000952	0	408.5829	0
0400-0500	977691	0.00095	0	411.1392	0
0500-0600	978498	0.000948	0	414.9852	0
0600-0700	979304	0.000947	4	416.2665	0.009609
0700-0800	980111	0.000947	4	419.7267	0.009529
0800-0900	978901	0.00095	4	410.1849	0.009751
0900-1000	975672	0.000958	4	396.7838	0.010080
1000-1100	970818	0.000968	4	381.7838	0.010477
1100-1200	965548	0.000977	4	369.8464	0.010815
1200-1300	960672	0.000983	4	363.5685	0.011002
1300-1400	957009	0.000987	4	359.9064	0.011113
1400-1500	954156	0.000989	4	359.1281	0.011138
1500-1600	952932	0.000989	4	360.3588	0.011100
1600-1700	952932	0.000988	4	362.1861	0.011044
1700-1800	954156	0.000986	4	364.6249	0.010970
1800-1900	957416	0.000981	1	370.6280	0.002698
1900-2000	961892	0.000974	1	379.3932	0.002635
2000-2100	965954	0.000968	1	386.9286	0.002584
2100-2200	968793	0.000964	1	391.9456	0.002551
2200-2300	970818	0.000962	1	393.8392	0.002539
2300-0000	972033	0.000959	1	398.7068	0.002508

APRIL

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
	963577	0.000967	0	387.1972	0
	968793	0.000965	0	389.9190	0
	970413	0.000962	0	394.2274	0
	971628	0.00096	0	397.0753	0
	972842	0.000958	0	399.9045	0
	973651	0.000956	0	403.2109	0
	974863	0.000955	4	403.9848	0.009901
	974055	0.000958	4	398.5787	0.010035
	971223	0.000965	4	387.3245	0.010327
	966765	0.000974	4	374.3187	0.010686
	961892	0.000982	4	364.1896	0.010983
	957009	0.000988	4	358.0887	0.011170
	952932	0.000991	4	356.7371	0.011212
	949666	0.000993	4	356.4051	0.011223
	946804	0.000994	4	357.4798	0.011189
	945577	0.000994	4	358.7174	0.011150
	945168	0.000994	4	359.1312	0.011137
	946395	0.000993	4	359.6974	0.011120
	948048	0.000991	1	360.8438	0.002771
	952524	0.000987	1	364.4403	0.002743
	956602	0.000981	1	371.4691	0.002692
	960672	0.000976	1	376.7947	0.002653
	963924	0.000972	1	381.1634	0.002629
	965954	0.00097	1	382.9561	0.002611

MAY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	962705	0.000975	0	376.6032	0
0100-0200	964330	0.000973	0	378.7834	0
0200-0300	965548	0.000971	0	381.4152	0
0300-0400	966765	0.000369	0	384.0762	0
0400-0500	966982	0.000367	0	386.7656	0
0500-0600	969198	0.000965	0	389.4849	0
0600-0700	970413	0.000963	4	392.2345	0.010197
0700-0800	969603	0.000966	4	387.0420	0.010334
0800-0900	966360	0.000974	4	374.7369	0.010674
0900-1000	961892	0.000982	4	364.1896	0.010983
1000-1100	956602	0.000989	4	356.6861	0.011214
1100-1200	951299	0.000994	4	352.9959	0.011331
1200-1300	939842	0.000994	4	355.8562	0.011245
1300-1400	943121	0.000995	4	359.4008	0.011129
1400-1500	940252	0.000995	4	362.3307	0.011039
1500-1600	938611	0.000989	4	365.8562	0.010933
1600-1700	938611	0.000994	4	365.8562	0.010933
1700-1800	939842	0.000971	4	364.5805	0.010971
1800-1900	942301	0.000994	1	362.0505	0.002762
1900-2000	945986	0.000992	1	361.9307	0.002762
2000-2100	950891	0.000988	1	364.2616	0.002745
2100-2200	954971	0.000984	1	367.5084	0.002721
2200-2300	958231	0.00098	1	371.6790	0.002690
2300-0000	960672	0.000977	1	374.8703	0.002667

JUNE

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
	956194	0.000984	0	366.2570	0
	957824	0.000982	0	368.3263	0
	959452	0.00098	0	370.4198	0
	961079	0.000978	0	372.5369	0
	962299	0.000976	0	375.0993	0
	963924	0.000975	0	379.2087	0
	963924	0.000975	4	375.3353	0.010657
	961892	0.000981	4	367.9210	0.010871
	958638	0.000985	4	361.9310	0.011051
	954156	0.000991	4	355.5188	0.011251
	949666	0.000995	4	354.6159	0.011279
	944758	0.000996	4	355.9512	0.011237
	940662	0.000995	4	361.9100	0.011052
	937791	0.000993	4	368.5595	0.010853
	935328	0.000991	4	374.9120	0.010669
	933684	0.000994	4	378.5801	0.010565
	933273	0.00099	4	376.0246	0.010553
	933684	0.000991	4	376.6739	0.010619
	935328	0.000992	1	373.0262	0.002680
	938201	0.000993	1	366.2824	0.002730
	942301	0.000994	1	362.0505	0.002755
	946804	0.000991	1	362.9236	0.002759
	950891	0.000989	1	362.4238	0.002759
	953748	0.000986	1	365.0407	0.002739

JULY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
	955379	0.000985	0	365.2306	0
	957416	0.000982	0	368.7447	0
	959045	0.00098	0	370.8389	0
	960266	0.000979	0	371.4750	0
	961892	0.000977	0	373.6045	0
	963112	0.000975	0	376.1792	0
	963112	0.000976	4	374.2560	0.010687
	961079	0.000981	4	366.8754	0.010902
	957416	0.000987	4	359.4988	0.011126
	952524	0.000992	4	355.3480	0.011256
	948031	0.000995	4	354.4615	0.011284
	943121	0.000996	4	357.6002	0.011185
	939022	0.000994	4	365.4296	0.010946
	935738	0.000992	4	372.5908	0.010735
	933273	0.000989	4	380.9447	0.010500
	930040	0.000988	4	384.2278	0.010410
	931629	0.000988	4	357.6002	0.010398
	932451	0.000989	4	381.8403	0.010475
	934095	0.000991	1	376.2324	0.002657
	936370	0.000993	1	369.4208	0.002706
	941072	0.000994	1	363.3120	0.002752
	945577	0.000992	1	362.3481	0.002759
	950074	0.000991	1	361.4240	0.002766
	952932	0.000987	1	364.0247	0.002747

TABLE 1-1. CONTINUED

AUGUST

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	958231	0.000981	0	369.7885	0
0100-0200	959859	0.000979	0	371.8949	0
0200-0300	961486	0.000977	0	374.0251	0
0300-0400	962705	0.000975	0	376.6032	0
0400-0500	963924	0.000973	0	379.2087	0
0500-0600	965142	0.000967	0	381.8430	0
0600-0700	966360	0.00097	4	382.5274	0.010456
0700-0800	965548	0.000973	4	377.5113	0.010595
0800-0900	962299	0.000977	4	367.5064	0.010884
0900-1000	957824	0.000988	4	357.2773	0.011195
1000-1100	952116	0.000993	4	353.9662	0.011300
1100-1200	946804	0.000996	4	353.9050	0.011302
1200-1300	941482	0.000996	4	359.2616	0.011133
1300-1400	937380	0.000993	4	368.9904	0.010840
1400-1500	934506	0.00099	4	377.6933	0.010590
1500-1600	932862	0.000989	4	381.8403	0.010487
1600-1700	932451	0.000989	4	376.2324	0.010631
1700-1800	934095	0.000991	4	369.4208	0.002706
1800-1900	936970	0.000993	1	363.3120	0.002752
1900-2000	941072	0.000994	1	361.9307	0.002762
2000-2100	945986	0.000992	1	362.8385	0.002756
2100-2200	950483	0.000989	1	362.0407	0.002739
2200-2300	953748	0.000986	1	365.2570	0.002730
2300-0000	956194	0.000984	1	366.2570	

SEPTEMBER

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	958638	0.000978	0	371.2586	0
0100-0200	961079	0.000977	0	374.4474	0
0200-0300	963112	0.000974	0	378.1143	0
0300-0400	964736	0.000969	0	382.2714	0
0400-0500	966360	0.000969	0	384.5053	0
0500-0600	967577	0.000967	0	387.1972	0
0600-0700	968793	0.000965	4	389.9190	0.010258
0700-0800	969603	0.000965	4	389.0515	0.010281
0800-0900	967577	0.00097	4	381.2466	0.010491
0900-1000	963518	0.000979	4	368.1431	0.010865
1000-1100	952116	0.000994	4	356.8730	0.011208
1100-1200	946395	0.000996	4	352.1893	0.011357
1200-1300	941892	0.000995	4	354.3128	0.011289
1300-1400	936560	0.000994	4	360.6519	0.011091
1400-1500	938201	0.000994	4	366.2824	0.010920
1500-1600	936970	0.000993	4	369.8520	0.010815
1600-1700	905619	0.000863	4	815.8358	0.010827
1700-1800	905619	0.000915	1	608.9074	0.004902
1800-1900	919268	0.000978	1	419.4198	0.001642
1900-2000	933273	0.000993	1	371.1595	0.002384
2000-2100	943530	0.000993	1	362.6155	0.002757
2100-2200	950483	0.000988	1	364.6785	0.002742
2200-2300	955379	0.000984	1	367.0902	0.002724

OCTOBER

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	966360	0.000969	0	384.5053	0
0100-0200	967982	0.000967	0	386.7656	0
0200-0300	969198	0.000965	0	389.4849	0
0300-0400	970008	0.000963	0	392.6711	0
0400-0500	971223	0.000961	0	395.4527	0
0500-0600	972033	0.00096	0	396.6345	0
0600-0700	973246	0.000958	4	399.4622	0.01001
0700-0800	974055	0.000956	4	402.7654	0.00993
0800-0900	972842	0.00096	4	393.7013	0.01015
0900-1000	969198	0.000969	4	381.5121	0.01048
1000-1100	963924	0.000979	4	367.7300	0.01087
1100-1200	958231	0.000988	4	356.8730	0.01120
1200-1300	899813	0.000775	4	1420.994	0.00281
1300-1400	890675	0.000829	4	1042.658	0.00383
1400-1500	901888	0.000915	4	615.6437	0.00649
1500-1600	914310	0.000963	4	459.6963	0.00870
1600-1700	925042	0.000984	4	400.0560	0.00999
1700-1800	933273	0.000993	1	373.3336	0.01071
1800-1900	941482	0.000993	1	364.7214	0.00274
1900-2000	948848	0.000989	1	364.5071	0.00274
2000-2100	954971	0.000983	1	369.3815	0.00270
2100-2200	959452	0.000979	1	372.3155	0.00268
2200-2300	962299	0.000975	1	377.0268	0.00265
2300-0000	964736	0.000972	1	380.3090	0.00262

NOVEMBER

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	973246	0.000957	0	401.5536	0
0100-0200	974055	0.000956	0	402.7654	0
0200-0300	974863	0.000955	0	403.9848	0
0300-0400	975672	0.000953	0	407.3402	0
0400-0500	976479	0.000952	0	408.5829	0
0500-0600	977287	0.000951	4	409.8312	0
0600-0700	978094	0.000949	4	413.2579	0.009679
0700-0800	978901	0.000948	4	414.5301	0.009649
0800-0900	978901	0.000948	4	414.5301	0.009904
0900-1000	976883	0.000954	4	403.8725	0.010266
1000-1100	972842	0.000963	4	389.6300	0.010655
1100-1200	967577	0.000973	4	375.4053	0.010995
1200-1300	962299	0.000982	4	363.7792	0.010361
1300-1400	954156	0.000989	4	359.1281	0.011138
1400-1500	952524	0.000989	4	360.7703	0.011087
1500-1600	953340	0.000987	4	363.6096	0.010810
1600-1700	955787	0.000983	4	368.5417	0.010853
1700-1800	960266	0.000976	4	377.2194	0.002650
1800-1900	964330	0.000971	1	382.7005	0.002613
1900-2000	967537	0.000966	1	389.2055	0.002569
2000-2100	969603	0.000963	1	393.1083	0.002543
2100-2200	971223	0.000961	1	395.4527	0.002528
2200-2300	972437	0.000959	1	398.2655	0.002510

DECEMBER

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	979304	0.000947	0	416.2665	0
0100-0200	980111	0.000945	0	419.7676	0
0200-0300	980917	0.000944	0	421.0722	0
0300-0400	981723	0.000943	0	422.3840	0
0400-0500	982125	0.000942	0	424.1677	0
0500-0600	982931	0.000941	4	425.4951	0
0600-0700	983333	0.00094	4	427.2973	0.009361
0700-0800	983736	0.00094	4	426.8310	0.009371
0800-0900	983333	0.000941	4	425.0317	0.009411
0900-1000	980917	0.000947	4	414.4448	0.009651
1000-1100	972437	0.000955	4	401.3199	0.009967
1100-1200	967577	0.000972	4	386.0372	0.010361
1200-1300	967577	0.000977	4	377.3404	0.010600
1300-1400	961486	0.000979	4	371.5093	0.010766
1400-1500	960672	0.000979	4	370.2202	0.010804
1500-1600	961892	0.000976	4	375.0568	0.010780
1600-1700	964330	0.000971	4	375.5224	0.010651
1700-1800	967982	0.000964	4	382.2194	0.010452
1800-1900	971628	0.000959	1	392.8213	0.002545
1900-2000	974055	0.000955	1	399.1498	0.002505
2000-2100	976076	0.000952	1	404.8785	0.002469
2100-2200	977287	0.00095	1	409.0326	0.002444
2200-2300	978498	0.000948	1	411.9928	0.002427
2300-0000	978498	0.000948	1	414.7652	0.002409

TABLE 15. WRIGHT PATTERSON 10 INCH THICK ASPHALT

JANUARY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	978901	0.00117	0	144.7666	0
0100-0200	927489	0.00117	0	145.3246	0
0200-0300	980111	0.00116	0	144.2908	0
0300-0400	982327	0.00116	0	149.7146	0
0400-0500	984741	0.00116	0	148.7385	0
0500-0600	986751	0.00116	0	147.9324	0
0600-0700	988753	0.00115	4	153.6424	0.026034
0700-0800	990564	0.00115	4	152.8975	0.026161
0800-0900	992368	0.00115	4	152.1579	0.026288
0900-1000	994170	0.00114	4	158.1829	0.025287
1000-1100	995370	0.00115	4	150.9380	0.026500
1100-1200	995170	0.00115	4	151.0188	0.026486
1200-1300	993369	0.00116	4	145.3205	0.027525
1300-1400	989963	0.00118	4	130.8405	0.029708
1400-1500	984942	0.00119	4	134.6424	0.030571
1500-1600	979304	0.0012	1	127.4134	0.031393
1600-1700	973853	0.00121	1	124.0665	0.032240
1700-1800	969198	0.00121	1	125.6609	0.031831
1800-1900	965954	0.0012	1	132.1604	0.007566
1900-2000	964939	0.00125	1	132.5312	0.007545
2000-2100	965345	0.00119	1	138.0393	0.007244
2100-2200	967324	0.00119	1	132.2690	0.007284
2200-2300	969603	0.00118	1	142.3094	0.007026
2300-0000	972437	0.00118	1	141.2068	0.007081

MARCH

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	941892	0.00122	0	130.1381	0
0100-0200	952932	0.00122	0	126.1587	0
0200-0300	956398	0.00121	0	130.1930	0
0300-0400	959452	0.0012	0	134.5607	0
0400-0500	962705	0.00119	0	133.3524	0
0500-0600	965548	0.00119	0	137.3619	0
0600-0700	968987	0.00119	4	136.8867	0.029221
0700-0800	971223	0.00118	4	141.2993	0.028233
0800-0900	974055	0.00118	4	140.5826	0.028453
0900-1000	975874	0.00119	4	139.2853	0.028594
1000-1100	976479	0.0012	4	133.8844	0.029876
1100-1200	975470	0.0012	4	128.7523	0.031067
1200-1300	972235	0.00121	4	124.6175	0.032098
1300-1400	967324	0.00124	4	116.3541	0.034377
1400-1500	961486	0.00123	4	113.5704	0.035220
1500-1600	955175	0.00125	1	111.0313	0.036025
1600-1700	949257	0.00126	1	108.4765	0.036874
1700-1800	943940	0.00126	1	110.1126	0.036326
1800-1900	939842	0.00126	1	111.3967	0.008976
1900-2000	937996	0.00125	1	116.5335	0.008981
2000-2100	937586	0.00125	1	116.6693	0.008571
2100-2200	939432	0.00124	1	120.8153	0.008277
2200-2300	942307	0.00124	1	119.8375	0.008344
2300-0000	945577	0.00123	1	123.6399	0.008088

APRIL

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	913070	0.00127	0	115.6524	0
0100-0200	933684	0.00125	0	117.9733	0
0200-0300	937586	0.00124	0	121.4502	0
0300-0400	941687	0.00124	0	120.0458	0
0400-0500	945372	0.00122	0	123.7114	0
0500-0600	949053	0.00122	0	127.5376	0.031669
0600-0700	952524	0.00122	4	126.3028	0.030671
0700-0800	955787	0.00121	4	130.4149	0.030915
0800-0900	958638	0.00121	4	129.3838	0.032360
0900-1000	960266	0.00122	4	123.6072	0.033651
1000-1100	959655	0.00123	4	118.8650	0.034844
1100-1200	957620	0.00124	4	114.7964	0.035862
1200-1300	953544	0.00125	4	111.5381	0.036747
1300-1400	942096	0.00126	4	108.8508	0.037594
1400-1500	948031	0.00127	4	106.3982	0.038421
1500-1600	935944	0.00128	1	104.1084	0.039246
1600-1700	929778	0.00129	1	101.9148	0.038671
1700-1800	924630	0.00129	1	103.4340	0.009559
1800-1900	920712	0.00129	1	104.6111	0.009485
1900-2000	918029	0.00128	1	105.4279	0.009101
2000-2100	917203	0.00128	1	109.8743	0.009128
2100-2200	918236	0.00127	1	109.5452	0.008846
2200-2300	920919	0.00127	1	113.0440	0.008936
2300-0000	924424	0.00127	1	111.9054	

MAY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	889843	0.0013	0	110.2248	0
0100-0200	918442	0.00128	0	109.4797	0
0200-0300	922775	0.00127	0	112.4391	0
0300-0400	926896	0.00126	0	115.5915	0
0400-0500	930806	0.00126	0	114.3020	0
0500-0600	934917	0.00125	0	117.5591	0.033012
0600-0700	938406	0.00124	4	121.1676	0.033339
0700-0800	941892	0.00124	4	119.3762	0.033630
0800-0900	944963	0.00124	4	118.9399	0.033785
0900-1000	946600	0.00124	4	118.3925	0.035150
1000-1100	946395	0.00125	4	113.7977	0.037791
1100-1200	943940	0.00127	4	105.8452	0.038826
1200-1300	939637	0.00128	4	103.0215	0.039712
1300-1400	939890	0.00129	4	100.7233	0.040529
1400-1500	927514	0.0013	1	98.69400	0.039742
1500-1600	920712	0.0013	1	100.6491	0.039009
1600-1700	914310	0.0013	1	102.5382	0.038354
1700-1800	900518	0.0013	1	104.2895	0.009466
1800-1900	904168	0.0013	1	105.6320	0.009386
1900-2000	901265	0.0013	1	106.8686	0.009357
2000-2100	900228	0.0013	1	106.5412	0.009386
2100-2200	900228	0.0013	1	106.5412	0.009466
2200-2300	901265	0.0013	1	105.6320	0.009466
2300-0000	908104	0.00129	1	108.5267	0.009214

JUNE

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	862745	0.00133	0	106.7902	0
0100-0200	900436	0.0013	0	106.8028	0
0200-0300	904730	0.00129	0	105.4386	0
0300-0400	909346	0.00128	0	108.1321	0
0400-0500	913690	0.00128	0	111.0037	0
0500-0600	917823	0.00127	0	109.6766	0.035490
0600-0700	921950	0.00127	4	112.7075	0.035893
0700-0800	925866	0.00127	4	111.4415	0.036149
0800-0900	928337	0.00128	4	110.6528	0.037706
0900-1000	929366	0.00129	4	106.0837	0.039086
1000-1100	928337	0.00129	4	102.3369	0.038786
1100-1200	925660	0.0013	4	103.1275	0.039837
1200-1300	921538	0.00131	4	100.4088	0.040046
1300-1400	916170	0.00131	4	98.15081	0.039322
1400-1500	910174	0.00131	4	101.7234	0.038652
1500-1600	903961	0.00131	1	103.4859	0.036606
1600-1700	898153	0.0013	1	109.2699	0.009032
1700-1800	892753	0.0013	1	110.7069	0.008948
1800-1900	888387	0.00131	1	111.7501	0.009257
1900-2000	885266	0.00131	1	108.0226	0.009268
2000-2100	883809	0.00131	1	107.8869	0.009181
2100-2200	884226	0.00131	1	107.2802	0.009181
2200-2300	886099	0.00131	1	107.2802	0.009181
2300-0000	889635	0.00131	1	106.1476	0.009420

JULY

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	856058	0.00133	0	109.0278	0
0100-0200	896077	0.00131	0	104.1261	0
0200-0300	900643	0.0013	0	106.7374	0
0300-0400	905411	0.00129	0	108.0010	0
0400-0500	909760	0.00129	0	110.8032	0
0500-0600	914310	0.00128	0	109.4797	0.036536
0600-0700	918442	0.00128	4	108.3086	0.036931
0700-0800	922156	0.00128	4	107.5380	0.037196
0800-0900	924630	0.00128	4	103.4954	0.037306
0900-1000	925660	0.00128	4	100.4088	0.038649
1000-1100	924424	0.0013	4	101.6785	0.039837
1100-1200	921538	0.00131	4	99.52141	0.040192
1200-1300	917203	0.00131	4	101.3516	0.039466
1300-1400	911415	0.0013	4	103.2315	0.038747
1400-1500	905204	0.00131	1	109.2699	0.036606
1500-1600	898983	0.00131	1	111.0531	0.036018
1600-1700	892753	0.0013	1	112.4532	0.008892
1700-1800	887347	0.0013	1	115.5202	0.008809
1800-1900	883185	0.0013	1	114.0233	0.008770
1900-2000	880061	0.0013	1	109.6676	0.008770
2000-2100	878602	0.00131	1	114.0233	0.009118
2100-2200	878811	0.00131	1	109.6676	0.009118
2200-2300	881102	0.00131	1	108.9603	0.009181
2300-0000	884642	0.00131	1	107.7518	0.009280

TABLE 15. CONTINUED

AUGUST

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	867757	0.00132	0	103.1983	0
0100-0200	903754	0.0013	0	105.7611	0
0200-0300	908104	0.00129	0	108.5267	0
0300-0400	912656	0.00129	0	107.0901	0
0400-0500	916790	0.00128	0	110.0063	0
0500-0600	920508	0.00127	0	113.1793	0
0600-0700	924424	0.00127	4	111.9054	0.035744
0700-0800	928337	0.00126	4	115.1140	0.034748
0800-0900	931218	0.00126	4	114.1673	0.035036
0900-1000	933068	0.00127	4	109.1639	0.036642
1000-1100	932657	0.00128	4	105.0891	0.038062
1100-1200	930395	0.00129	4	101.7347	0.039317
1200-1300	925866	0.0013	4	99.16286	0.040337
1300-1400	919887	0.00131	4	97.09243	0.041195
1400-1500	913070	0.00131	4	99.04140	0.040387
1500-1600	905826	0.00131	4	101.1662	0.039538
1600-1700	898903	0.0013	4	103.2315	0.038747
1700-1800	892753	0.0013	4	109.2699	0.036606
1800-1900	887971	0.0013	1	110.8452	0.009021
1900-2000	885058	0.0013	1	111.8201	0.008942
2000-2100	883059	0.00131	1	108.0226	0.009257
2100-2200	885058	0.00131	1	107.6168	0.009292
2200-2300	887971	0.00131	1	106.6786	0.009373
2300-0000	892130	0.00131	1	105.3583	0.009491

SEPTEMBER

MODULUS	STRAIN	PASSES (n)	N	n/N
846018	0.00223	0	8.490351	0
889219	0.00216	0	8.720463	0
896700	0.00212	0	9.363378	0
903754	0.00209	0	9.847167	0
910381	0.00205	0	10.63695	0
916583	0.00202	0	11.24532	0
922362	0.002	4	11.62262	0.344156
927720	0.00197	4	12.34296	0.324071
932657	0.00196	4	12.48323	0.320429
936149	0.00197	4	12.04900	0.331977
937380	0.002	4	11.11350	0.359922
937380	0.00204	4	10.08348	0.396688
934506	0.0021	4	8.794656	0.454821
929572	0.00215	4	7.929577	0.504440
923187	0.0022	4	7.199564	0.555589
916170	0.00224	4	6.714447	0.595730
909346	0.00226	4	6.551808	0.610518
903546	0.00226	4	6.664490	0.600195
890259	0.00258	1	3.575666	0.279668
874850	0.00246	1	4.753221	0.210383
864834	0.00236	1	6.031576	0.165794
862327	0.00231	1	6.765359	0.147811
865251	0.00228	1	7.157455	0.139714
871304	0.00224	1	7.675810	0.130279

OCTOBER

MODULUS	STRAIN	PASSES (n)	N	n/N
881935	0.0013	0	112.8785	0
913070	0.00128	0	111.2047	0
919681	0.00127	0	113.4500	0
925660	0.00126	0	116.0033	0
931218	0.00125	0	118.8077	0
936560	0.00124	0	121.8051	0
941072	0.00124	4	120.2550	0.03326
945577	0.00123	4	123.6399	0.03235
949666	0.00123	4	127.3183	0.03141
952728	0.00122	4	126.2307	0.03168
954360	0.00123	4	120.6307	0.03315
953748	0.00124	4	116.0426	0.03447
950891	0.00126	4	107.9805	0.03704
931835	0.00132	4	90.31470	0.04428
905619	0.00126	4	122.9713	0.03252
883601	0.00128	4	136.6450	0.02927
869635	0.00126	4	137.0032	0.02919
863372	0.00128	4	129.0919	0.03098
862536	0.00129	1	124.4863	0.00803
865460	0.00131	1	114.2343	0.00875
871304	0.00132	1	108.0176	0.00925
879019	0.00131	1	105.5095	0.00947
887555	0.00131	1	106.8119	0.00936
895869	0.0013	1	108.2600	0.00923

DECEMBER

HOUR	MODULUS	STRAIN	PASSES (n)	N	n/N
0000-0100	970413	0.00118	0	141.9930	0
0100-0200	921830	0.00118	0	141.4420	0
0200-0300	974257	0.00118	0	140.5049	0
0300-0400	976883	0.00117	0	145.5649	0
0400-0500	979304	0.00117	0	144.6079	0
0500-0600	981521	0.00116	0	150.0424	0
0600-0700	983736	0.00116	4	149.1438	0.026819
0700-0800	985746	0.00116	4	148.3347	0.026966
0800-0900	987755	0.00116	4	147.5320	0.027112
0900-1000	989160	0.00115	4	153.4765	0.026062
1000-1100	989963	0.00116	4	146.6567	0.027274
1100-1200	989160	0.00117	4	140.7997	0.028409
1200-1300	986349	0.00118	4	135.9612	0.029420
1300-1400	982125	0.00119	4	131.8410	0.030339
1400-1500	977085	0.00121	4	122.9759	0.032526
1500-1600	971425	0.00121	4	124.8947	0.032026
1600-1700	965954	0.00122	4	123.1270	0.032873
1700-1800	961689	0.00122	4	123.1204	0.032488
1800-1900	958638	0.00122	1	124.1674	0.008053
1900-2000	957824	0.00121	1	129.6771	0.007711
2000-2100	958638	0.00121	1	129.3838	0.007728
2100-2200	960876	0.0012	1	134.0299	0.007461
2200-2300	963518	0.0012	1	133.0527	0.007515
2300-0000	966157	0.00119	1	131.7303	0.007260

TABLE 16.   COMPUTATIONS FOR THE 3 INCH PAVEMENT AT A
             CONSTANT TEMPERATURE

TEMPERATURE (FARENHEIT)	MODULUS	STRAIN	PASSES(n)	N	n/N
30	1336407	0.00147	54	20.17	2.7
35	1239077	0.00153	54	20.20	2.7
40	1167035	0.00157	54	20.83	2.6
45	1066639	0.00164	54	21.28	2.5
50	956828	0.00171	54	23.07	2.3
55	841739	0.00181	54	24.43	2.2
60	725642	0.00191	54	27.73	1.9
65	612585	0.00203	54	32.11	1.7
70	506090	0.00215	54	40.08	1.3
75	408923	0.00227	54	53.92	1.0
80	322966	0.00239	54	78.17	0.7
85	249193	0.00248	54	129.69	0.4
90	187738	0.00253	54	249.63	0.2
95	138035	0.00251	54	589.49	0.1
100	99001	0.00242	54	1715.77	0.0
105	69232	0.00224	54	6550.26	0.0
110	47184	0.00198	54	33723.11	0.0
115	31327	0.00166	54	242522.8	0.0
120	20254	0.00133	54	2348589.5	0.0

TABLE   17.   COMPUTATIONS FOR THE 5 INCH PAVEMENT AT A
               CONSTANT TEMPERATURE

TEMPERATURE (FARENHEIT)	MODULUS	STRAIN	PASSES(n)	N	n/N
30	1336407	0.000817	54	380.35	0.1
35	1239077	0.000847	54	388.50	0.14
40	1130926	0.000883	54	402.45	0.13
45	1215424	0.000854	54	392.49	0.14
50	896323	0.000977	54	450.95	0.12
55	777377	0.001030	54	506.05	0.11
60	662080	0.001100	54	558.76	0.10
65	553452	0.001160	54	690.75	0.08
70	453866	0.001230	54	874.34	0.06
75	364968	0.001300	54	1185.20	0.05
80	287654	0.001350	54	1850.79	0.03
85	222123	0.001380	54	3302.55	0.02
90	167977	0.001390	54	6707.36	0.01
95	124357	0.001350	54	17296.24	0.00
100	90094	0.001270	54	55415.79	0.00
105	63852	0.001130	54	248733.5	0.00
110	44253	0.000936	54	1694728	0.00

TABLE 18.   COMPUTATIONS FOR THE 10 INCH PAVEMENT AT A
             CONSTANT TEMPERATURE

TEMPERATURE (FARENHEIT)	MODULUS	STRAIN	PASSES(n)	N	n/N
30	1336407	0.00102	54	125.40	0.43
35	1239077	0.00106	54	126.56	0.43
40	1130926	0.00111	54	128.20	0.42
45	1015424	0.00116	54	137.06	0.39
50	896323	0.00123	54	142.58	0.38
55	777377	0.00131	54	152.06	0.36
60	662080	0.00139	54	173.43	0.31
65	553452	0.00149	54	197.55	0.27
70	453866	0.00159	54	242.22	0.22
75	364968	0.00169	54	319.21	0.17
80	287654	0.00178	54	464.44	0.12
85	222123	0.00186	54	742.47	0.07
90	167977	0.00190	54	1405.59	0.04
95	124357	0.00189	54	3215.97	0.02
100	90094	0.00181	54	9424.52	0.01
105	63852	0.00165	54	37472.00	0.001
110	44253	0.00139	54	234641.74	0.0002

TABLE 19. COMPUTATION OF CONVERSION FACTORS FOR THE 3 INCH PAVEMENTS

HOMESTEAD

MONTH	MEAN AIR TEMP.	EQUIV. TEMP.	CONVERSION FACTOR
1	68.54	58.23	0.85
2	69.54	58.44	0.84
3	72.83	59.40	0.82
4	76.25	59.60	0.78
5	78.67	59.61	0.76
6	82.04	60.03	0.73
7	83.67	60.36	0.72
8	83.96	60.86	0.72
9	83.96	60.29	0.72
10	79.58	60.36	0.76
11	71.42	60.27	0.84
12	70.50	58.35	0.83

MINOT

MONTH	MEAN AIR TEMP.	EQUIV. TEMP.	CONVERSION FACTOR
1	6.88	46.10	6.70
3	26.33	43.49	1.65
4	43.30	40.79	0.94
5	56.46	39.08	0.69
7	72.83	38.43	0.53
8	70.38	38.59	0.55
9	70.46	38.68	0.55
10	46.83	40.41	0.86
11	29.46	42.96	1.46

WRIGHT-PATTERSON

MONTH	MEAN AIR TEMP.	EQUIV. TEMP.	CONVERSION FACTOR
2	33.17	42.54	1.28
3	43.04	40.91	0.95
4	54.25	39.11	0.72
5	64.33	38.69	0.60
6	74.33	38.19	0.51
7	77.63	38.19	0.49
8	76.33	38.40	0.50
9	68.96	43.03	0.62
10	57.83	42.88	0.74
11	44.75	40.71	0.91
12	34.50	42.32	1.23

WILLIAMS

MONTH	MEAN AIR TEMP.	EQUIV. TEMP.	CONVERSION FACTOR
1	45.38	57.62	1.27
2	58.42	57.83	0.99
3	62.46	58.42	0.94
4	71.08	61.54	0.87
5	80.33	62.77	0.78
7	93.46	64.00	0.68
8	91.58	57.01	0.73
9	87.46	64.02	0.73
10	76.04	61.78	0.81
11	63.00	59.24	0.94
12	55.83	58.14	1.04

TABLE 20. COMPUTATION OF CONVERSION FACTORS FOR THE 5 INCH PAVEMENTS

HOMESTEAD

MONTH	MEAN AIR TEMP.	EQUIV. TEMP.	CONVERSION FACTOR
1	68.54	53.70	0.78
2	69.54	54.90	0.79
3	72.83	55.32	0.76
4	76.25	56.20	0.74
5	78.67	56.44	0.72
6	82.04	57.20	0.70
7	83.67	57.71	0.69
9	83.96	57.36	0.68
10	79.58	56.93	0.72
11	71.42	46.11	0.65
12	70.50	53.83	0.76

MINOT

MONTH	MEAN AIR TEMP.	EQUIV. TEMP.	CONVERSION FACTOR
2	14.46	43.22	2.99
3	25.33	40.24	1.53
4	43.30	37.02	0.86
5	56.46	22.26	0.39
6	66.54	34.04	0.51
7	72.83	34.70	0.48
8	70.38	34.55	0.49
9	70.46	34.55	0.49
10	46.83	36.31	0.78
12	14.63	43.67	2.99

WRIGHT-PATTERSON

MONTH	MEAN AIR TEMP.	EQUIV. TEMP.	CONVERSION FACTOR
1	29.42	39.09	1.33
2	43.04	36.80	0.86
3	54.25	34.96	0.64
4	64.33	34.46	0.54
5	74.33	34.57	0.47
6	77.63	34.93	0.45
7	76.33	34.91	0.46
9	68.96	38.11	0.55
10	57.83	46.15	0.80
11	44.75	37.13	0.83
12	34.50	39.13	1.13

WILLIAMS

MONTH	MEAN AIR TEMP.	EQUIV. TEMP.	CONVERSION FACTOR
1	45.38	53.28	1.17
2	58.42	53.73	0.92
3	62.46	54.07	0.87
4	71.08	58.72	0.83
5	80.33	60.67	0.76
6	89.42	63.48	0.71
7	93.46	62.27	0.67
8	91.58	66.50	0.73
9	87.46	61.78	0.71
10	76.04	58.71	0.77
11	63.00	55.55	0.88
12	55.833	54.18107	0.970413

TABLE 21. COMPUTATION OF CONVERSION FACTORS FOR THE 10 INCH PAVEMENTS

HOMESTEAD

MONTH	MEAN AIR TEMP.	EQUIV. TEMP.	CONVERSION FACTOR
1	68.54	47.07	0.69
3	72.83	47.54	0.65
4	76.25	48.15	0.63
5	78.67	48.58	0.62
6	82.04	49.81	0.61
7	83.67	50.30	0.60
8	83.96	50.86	0.61
9	83.96	49.57	0.59
10	79.58	48.97	0.62
12	70.50	47.14	0.67

MINOT

MONTH	MEAN AIR TEMP.	EQUIV. TEMP.	CONVERSION FACTOR
3	26.33	46.09	1.75
4	43.30	39.30	0.91
5	56.46	33.21	0.59
6	66.54	29.53	0.44
7	72.83	28.19	0.39
8	70.38	29.05	0.41
9	46.83	37.22	0.79

WRIGHT-PATTERSON

MONTH	MEAN AIR TEMP.	EQUIV. TEMP.	CONVERSION FACTOR
1	29.42	45.57	1.55
3	43.04	38.45	0.89
4	54.25	33.24	0.61
5	64.33	30.07	0.47
6	74.33	28.13	0.38
7	77.63	28.49	0.37
8	76.33	28.37	0.37
10	57.83	36.21	0.63
12	34.50	43.74	1.27

WILLIAMS

MONTH	MEAN AIR TEMP.	EQUIV. TEMP.	CONVERSION FACTOR
1	45.38	48.79	1.08
2	58.42	48.20	0.83
3	62.46	47.66	0.76
4	71.08	50.01	0.70
5	80.33	52.17	0.65
6	89.42	55.84	0.62
7	93.46	55.60	0.59
8	91.58	55.60	0.61
9	87.45	55.60	0.64
10	76.04	49.57	0.65
12	55.83	48.40	0.87

TABLE 22. SUMMARY OF LINEAR REGRESSION ANALYSIS

BASE		m	c	rsquare
HOMESTEAD	3	-0.009	1.442	.98
	5	-0.005	1.094	.38
	10	-0.005	1.05	.97
WILLIAMS	3	-.0017	1.723	.94
	5	-.009	1.454	.9
	10	-.008	1.346	.88
MINOT	3	-.022	2.066	.91
	5	-.041	3.11	.91
	10	-.027	2.232	.91
WRIGHT-PAT	3	-.01	1.633	.92
	5	-.016	1.657	.91
	10	-.022	1.98	.89

CONVERSION FACTOR = m X(AIR TEMP) + c

FIGURE 1. Conversion factor as a function of air temperature.

FIGURE 2. Conversion factor as a function of air temperature.

FIGURE 3. Conversion factor as a function of air temperature.

MINOT 3 INCH.

FIGURE 4. Conversion factor as a function of air temperature.

MINOT 5 INCH.

FIGURE 5. Conversion factor as a function of air temperature.

MINOT 10 INCH.

Conversion factor

2.0

1.5

1.0

0.5

0.0
20   30   40   50   60   70   80
Air temperature

Mr

Ap   Se

Ma

Ju   Au Jl

FIGURE 6. Conversion factor as a function of air
temperature.

FIGURE 7. Conversion factor as a function of air temperature.

WILLIAMS 5 INCH.

FIGURE 8. Conversion factor as a function of air temperature.

FIGURE 9. Conversion factor as a function of air temperature.

WRIGHT–PATTERSON 3 INCH.

FIGURE 10. Conversion factor as a function of air temperature.

Conversion factor

Air temperature

WRIGHT–PATTERSON 5 INCH.

FIGURE 11. Conversion factor as a function of air temperature.

FIGURE 12. Conversion factor as a function of air temperature.